


Classez Orientation

- [H5P Activities](#)
- [Embedding Third Party Content](#)
 - [Using oEmbed](#)
- [Activities](#)
 - [Learning maps](#)

H5P Activities



Accordion

Create vertically stacked expandable items

[Icon for the Agamotto content type](#)

Agamotto

Create a sequence of images that gradually change

[Arithmetic Quiz icon](#)

Arithmetic Quiz

Create time-based arithmetic quizzes

[audio recorder icon](#)


Audio Recorder

Create an audio recording

[Chart icon](#)


Chart

Quickly generate bar and pie charts




Collage

Create a collage of multiple images




Column

Column layout for H5P Content



Course Presentation

Create a presentation with interactive slides



Dialog Cards

Create text-based turning cards

Image not found or type unknown


Documentation Tool

Create a form wizard with text export

Image not found or type unknown

Drag and Drop

Create drag and drop tasks with images




Drag the Words

Create text-based drag and drop tasks

Image not found or type unknown


Essay

Create essay with instant feedback



Fill in the Blanks

Create a task with missing words in a text



Find Multiple Hotspots

Create many hotspots for users to find

Image not found or type unknown

Find the Hotspot


Create image hotspot for users to find

[Icon showing cards in a stack where each card has an image and a text field](#)

Flashcards

Create stylish and modern flashcards

Image not found or type unknown



Guess the Answer

Create an image with a question and answer button

Image not found or type unknown

Iframe Embedder

Embed from a url or a set of files

Image not found or type unknown




Image Hotspots

Create an image with multiple info hotspots

Image not found or type unknown

Icon for the Image Juxtaposition content type

Image Juxtaposition

Create interactive images

Image not found or type unknown

Images can be dropped on other images

Image pairing

Drag and drop image matching game

Image not found or type unknown

Image sequence icon

Image Sequencing

Place images in the correct order

Image not found or type unknown

Image slider icon


Image Slider

Easily create an Image Slider

Impressive Presentation icon

Impressive Presentation (ALPHA)

Create a slideshow with parallax effects




Interactive Video

Create videos enriched with interactions

Mark The Words icon


Mark the Words

Create a task where users highlight words




Memory Game

Create the classic image pairing game




Multiple Choice

Create flexible multiple choice questions




Personality Quiz

Create personality quizzes



Questionnaire

Create a questionnaire to receive feedback



Quiz (Question Set)

Create a sequence of various question types

Single Choice Set icon

Single Choice Set

Create questions with one correct answer

Speak the words icon

Speak the Words

Answer a question using your voice

An image showing microphone and questions

Speak the Words Set

A series of questions answered by speech

[Summary icon](#)
Image not found or type unknown


Summary

Create tasks with a list of statements

[Timeline icon](#)
Image not found or type unknown

Timeline

Create a timeline of events with multimedia



True/False Question

Create True/False questions

[Twitter User Feed Icon](#)
Image not found or type unknown

Twitter User Feed

Show your Twitter feed with H5P

Embedding Third Party Content

Using oEmbed

oEmbed is a format for allowing an embedded representation of a URL on third party sites. The simple API allows a website to display embedded content (such as photos or videos) when a user posts a link to that resource, without having to parse the resource directly.

Coursez uses a filter that will swap hyperlinks pointing towards supported websites with an embedded version using code retrieved from the site using the oEmbed protocol.

Below are the sites supported:

23HQ (<http://www.23hq.com>)

- URL scheme: `http://www.23hq.com/*/photo/*`
- API endpoint: `http://www.23hq.com/23/oembed`
- Example: <http://www.23hq.com/23/oembed?url=http%3A%2F%2Fwww.23hq.com%2Fimprove%2Fphoto%2F13297717>

Adways (<http://www.adways.com>)

- URL scheme: `http://play.adpaths.com/experience/*`
- API endpoint: `http://play.adpaths.com/oembed/*`
- Example: <http://play.adpaths.com/experience/2Hnd8S8>

Alpha App Net (<https://alpha.app.net/browse/posts/>)

- URL scheme: `https://alpha.app.net/*/post/*`
- URL scheme: `https://photos.app.net/*/*`
- API endpoint: `https://alpha-api.app.net/oembed` (only supports `json`)
- Documentation: <http://developers.app.net/docs/other/oembed/>
- Example: <https://alpha-api.app.net/oembed?url=https%3A%2F%2Falpha.app.net%2Fbreakingnews%2Fpost%2F9153521>

Altru (<https://www.altrulabs.com>)

- URL scheme: `https://app.altrulabs.com/**?answer_id=*`
- API endpoint: `https://api.altrulabs.com/social/oembed` (only supports `json`)

- Example:

https://api.altrulabs.com/api/v1/social/oembed?url=https%3A%2F%2Fapp.altrulabs.com%2Ftalentbrand%2Ffeed%3Fanswer_id%3D2059

amCharts Live Editor (<http://live.amcharts.com/>)

- URL scheme: `http://live.amcharts.com/*`

- API endpoint: `http://live.amcharts.com/oembed`

- Example:

<http://live.amcharts.com/oembed/?url=http%3A%2F%2Flive.amcharts.com%2FczNjj%2F&format=json>

- Example:

<http://live.amcharts.com/oembed/?url=http%3A%2F%2Flive.amcharts.com%2FczNjj%2F&format=xml>

Animatron (<https://www.animatron.com/>)

- URL scheme: `https://www.animatron.com/project/*`

- URL scheme: `https://animatron.com/project/*`

- API endpoint: `https://animatron.com/oembed/json`

- Example:

<https://animatron.com/oembed/json?url=https%3A%2F%2Fwww.animatron.com%2Fproject%2F6487dd52e5835971c6bec25d>

- Example:

<https://animatron.com/oembed/xml?url=https%3A%2F%2Fwww.animatron.com%2Fproject%2F6487dd52e5835971c6bec25d>

- Supports discovery via `<link>` tags

Animoto (<http://animoto.com/>)

- URL scheme: `http://animoto.com/play/*`

- API endpoint: `http://animoto.com/oembeds/create`

- Documentation: <http://help.animoto.com/entries/109992-oEmbed-API>

- Example:

<http://animoto.com/oembeds/create/?format=xml&url=http%3A%2F%2Fanimoto.com%2Fplay%2FjzwsBn5FRVxS0qoqcBP5zA>

Audiomack (<https://www.audiomack.com>)

- URL scheme: `https://www.audiomack.com/song/*`

- URL scheme: `https://www.audiomack.com/album/*`

- URL scheme: `https://www.audiomack.com/playlist/*`
- API endpoint: `https://www.audiomack.com/oembed`
- Example:
<https://www.audiomack.com/oembed?url=https%3A%2F%2Fwww.audiomack.com%2Fplaylist%2Faudiomack%2Fjust-chillin&format=json>
- Supports discovery via `<link>` tags

AudioSnaps (<http://audiosnaps.com>)

- URL scheme: `http://audiosnaps.com/k/*`
- API endpoint: `http://audiosnaps.com/service/oembed`
- Example:
<http://audiosnaps.com/service/oembed?url=http%3A%2F%2Faudiosnaps.com%2Fk%2Fd8wi%2F&format=json>
- Example:
<http://audiosnaps.com/service/oembed?url=http%3A%2F%2Faudiosnaps.com%2Fk%2Fd8wi%2F&maxwidth=400&format=xml>
- Supports discovery via `<link>` tags

Backtracks (<https://backtracks.fm>)

- URL scheme: `https://backtracks.fm/*/e/*`
- URL scheme: `https://backtracks.fm/*`
- URL scheme: `http://backtracks.fm/*`
- API endpoint: `https://backtracks.fm/oembed`
- Example:
<https://backtracks.fm/oembed?url=https%3A%2F%2Fbacktracks.fm%2Fycombinator%2Fycombinator%2Fe%2F4-elon-musk-on-how-to-build-the-future&format=json>
- Supports discovery via `<link>` tags

Beautiful.AI (<https://www.beautiful.ai/>)

- API endpoint: `https://www.beautiful.ai/api/oembed`
- Example:
https://www.beautiful.ai/api/oembed?url=https%3A%2F%2Fwww.beautiful.ai%2Fdeck%2F-L7QETWHKx_3vn8eIswg
- Example:
<https://www.beautiful.ai/api/oembed?url=https%3A%2F%2Fwww.beautiful.ai%2Fplayer%2F-L7QHgT26tkTPnqtB84U>
- Supports discovery via `<link>` tags

Blackfire.io (<https://blackfire.io>)

- URL scheme: `https://blackfire.io/profiles/*/graph`
- URL scheme: `https://blackfire.io/profiles/compare/*/graph`
- API endpoint: `https://blackfire.io/oembed`
- Example: <https://blackfire.io/oembed?url=https%3A//blackfire.io/profiles/ffcffdc1-50db-42bc-bcbb-dcfe86758e26/graph&format=json>
- Supports discovery via `<link>` tags

Box Office Buz (<http://boxofficebuz.com>)

- API endpoint: `http://boxofficebuz.com/oembed`
- Example: <http://boxofficebuz.com/oembed?url=http://movies.boxofficebuz.com/video/jack-reacher-never-go-back-tv-spot-hunting>
- Example: <http://boxofficebuz.com/oembed?url=http://movies.boxofficebuz.com/video/ghost-in-the-shell-trailer-teaser-5>
- Supports discovery via `<link>` tags

BrioVR (<https://view.briovr.com/>)

- URL scheme: `https://view.briovr.com/api/v1/worlds/oembed/*`
- API endpoint: `https://view.briovr.com/api/v1/worlds/oembed/`
- Example: <https://view.briovr.com/api/v1/worlds/oembed/?url=https%3A//view.briovr.com/90487725-89bf-4acf-b8d2-0cbf0f560f7d/&format=json>

Butttdown (<https://butttdown.email/>)

- URL scheme: `https://butttdown.email/*`
- API endpoint: `https://butttdown.email/embed` (only supports `json`)
- Example: <https://butttdown.email/jmduke>
- Supports discovery via `<link>` tags

Cacoo (<https://cacoo.com>)

- URL scheme: `https://cacoo.com/diagrams/*`
- API endpoint: `http://cacoo.com/oembed.{format}`
- Documentation: https://cacoo.com/lang/en/api_oembed
- Example: <http://cacoo.com/oembed.xml?url=http%3A%2F%2Fcacoo.com%2Fdiagrams%2Fm9uZtizE>

Carbon Health (<https://carbonhealth.com>)

- URL scheme: `https://carbonhealth.com/practice/*`
- API endpoint: `http://carbonhealth.com/oembed`
- Example: <http://carbonhealth.com/practice/carbon-primary-care/financial-district>
- Supports discovery via `<link>` tags

CatBoat (<http://img.catbo.at/>)

- URL scheme: `http://img.catbo.at/*`
- API endpoint: `http://img.catbo.at/oembed.json` (only supports `json`)
- Example:
<http://img.catbo.at/oembed.json?url=http://img.catbo.at/3fb93c1b7891aedb18aa41fb325cbc92e82e58a1.jpg&maxwidth=200&maxheight=45&format=json>

Ceros (<http://www.ceros.com/>)

- URL scheme: `http://view.ceros.com/*`
- API endpoint: `http://view.ceros.com/oembed`
- Example:
<http://view.ceros.com/oembed?url=https%3A%2F%2Fview.ceros.com%2Fceros%2Fnew-experience-3>
- Example: <http://view.ceros.com/oembed?url=https%3A%2F%2Fview.ceros.com%2Fceros-inspire%2Ffendi-desktop-4>
- Supports discovery via `<link>` tags

ChartBlocks (<http://www.chartblocks.com/>)

- URL scheme: `http://public.chartblocks.com/c/*`
- API endpoint: `http://embed.chartblocks.com/1.0/oembed`
- Example:
<http://embed.chartblocks.com/1.0/oembed?url=http%3A%2F%2Fpublic.chartblocks.com%2Fc%2F53f7702dc9a61d7935942613%2F&format=json>
- Example:
<http://embed.chartblocks.com/1.0/oembed?url=http%3A%2F%2Fpublic.chartblocks.com%2Fc%2F53f7702dc9a61d7935942613%2F&format=xml>

chirbit.com (<http://www.chirbit.com/>)

- URL scheme: `http://chirb.it/*`
- API endpoint: `http://chirb.it/oembed.{format}`
- Example: <http://chirb.it/oembed.json?url=http%3A%2F%2Fchirb.it%2F0BnAr1>
- Supports discovery via `<link>` tags

CircuitLab (<https://www.circuitlab.com/>)

- URL scheme: `https://www.circuitlab.com/circuit/*`
- API endpoint: `https://www.circuitlab.com/circuit/oembed/`
- Example:
<https://www.circuitlab.com/circuit/oembed/?format=json&url=https%3A%2F%2Fwww.circuitlab.com%2Fcircuit%2F38756%2F555-timer-as-astable-multivibrator-oscillator%2F>
- Supports discovery via `<link>` tags

Clipland (<http://www.clipland.com/>)

- URL scheme: `http://www.clipland.com/v/*`
- URL scheme: `https://www.clipland.com/v/*`
- API endpoint: `https://www.clipland.com/api/oembed`
- Example:
<https://www.clipland.com/api/oembed?url=http%3A%2F%2Fwww.clipland.com%2Fv%2F1010&format=json>
- Example:
<https://www.clipland.com/api/oembed?url=http%3A%2F%2Fwww.clipland.com%2Fv%2F1010&format=xml>
- Supports discovery via `<link>` tags

Clyp (<http://clyp.it/>)

- URL scheme: `http://clyp.it/*`
- URL scheme: `http://clyp.it/playlist/*`
- API endpoint: `http://api.clyp.it/oembed/`
- Example:
<http://api.clyp.it/oembed?url=http%3A%2F%2Fclyp.it%2Fzhwuptos&maxwidth=720>
- Example: <http://api.clyp.it/oembed?url=http%3A%2F%2Fclyp.it%2Fplaylist%2F1kmfioze>
- Supports discovery via `<link>` tags

CodeHS (<http://www.codehs.com>)

- URL scheme: `https://codehs.com/editor/share_abacus/*`
- API endpoint: `https://codehs.com/api/sharedprogram/*/oembed/`
- Documentation: <http://www.codehs.com>

- Example:

https://codehs.com/api/sharedprogram/1/oembed?url=https://codehs.com/editor/share_a_bacus/xtOPDik2wNFjSDUoyl2T

- Supports discovery via `<link>` tags

Codepen (<https://codepen.io>)

- URL scheme: `http://codepen.io/*`
- URL scheme: `https://codepen.io/*`
- API endpoint: `http://codepen.io/api/oembed`
- Example:

<http://codepen.io/api/oembed?url=https://codepen.io/gingerdude/pen/JXwgdK&format=json>

Codepoints (<https://codepoints.net>)

- URL scheme: `http://codepoints.net/*`
- URL scheme: `https://codepoints.net/*`
- URL scheme: `http://www.codepoints.net/*`
- URL scheme: `https://www.codepoints.net/*`
- API endpoint: `https://codepoints.net/api/v1/oembed`
- Example:

<https://codepoints.net/api/v1/oembed?url=https%3A%2F%2Fcodepoints.net%2FU%2B00E4&format=json>

- Example:
- Example: <https://codepoints.net/api/v1/oembed?url=https%3A%2F%2Fcodepoints.net%2FA&format=xml&maxwidth=64>
- Example: <https://codepoints.net/U+2665>
- Supports discovery via `<link>` tags

CodeSandbox (<https://codesandbox.io>)

- URL scheme: `https://codesandbox.io/s/*`
- URL scheme: `https://codesandbox.io/embed/*`
- API endpoint: `https://codesandbox.io/oembed`
- Example: <https://codesandbox.io/oembed?url=https://codesandbox.io/s/new&format=json>

CollegeHumor (<http://www.collegehumor.com/>)

- URL scheme: `http://www.collegehumor.com/video/*`
- API endpoint: `http://www.collegehumor.com/oembed.{format}`

- Example:

<http://www.collegehumor.com/oembed.xml?url=http%3A%2F%2Fwww.collegehumor.com%2Fvideo%2F3922232%2Fprank-war-7-the-half-million-dollar-shot>

- Supports discovery via `<link>` tags

Commaful (<https://commaful.com>)

- URL scheme: `https://commaful.com/play/*`
- API endpoint: `https://commaful.com/api/oembed/`
- Example:

<https://commaful.com/api/oembed/?url=%2F%2Fcommaful.com%2Fplay%2Fwillyoumaryme%2Fthe-stars-in-us%2F>

Coub (<http://coub.com/>)

- URL scheme: `http://coub.com/view/*`
- URL scheme: `http://coub.com/embed/*`
- API endpoint: `http://coub.com/api/oembed.{format}`
- Example:

<http://coub.com/api/oembed.xml?url=http%3A%2F%2Fcoub.com%2Fview%2Fum0>

- Example:
- <http://coub.com/api/oembed.json?url=http%3A%2F%2Fcoub.com%2Fview%2Fum0>

- Example:
- <http://coub.com/api/oembed.xml?url=http%3A%2F%2Fcoub.com%2Fembed%2Fum0>

- Example:
- <http://coub.com/api/oembed.json?url=http%3A%2F%2Fcoub.com%2Fembed%2Fum0>

Crowd Ranking (<http://crowdranking.com>)

- URL scheme: `http://crowdranking.com/*/`
- API endpoint: `http://crowdranking.com/api/oembed.{format}`
- Example:

<http://crowdranking.com/api/oembed.xml?url=http%3A%2F%2Fcrowdranking.com%2Frankings%2Ft470g0--best-tea>

Cyrano Systems (<http://www.cyranosystems.com/>)

- URL scheme: `https://staging.cyranosystems.com/msg/*`
- URL scheme: `https://app.cyranosystems.com/msg/*`
- API endpoint: `https://staging.cyranosystems.com/oembed` (only supports `json`)
- Example:

<https://staging.cyranosystems.com/oembed?url=https%3A%2F%2Fstaging.cyranosystems.com/>

.com%2Fmsg%2F%23%2FguestPlayProgram%2F000181d4-2b11-8702-0035-45f0449eb025

- Supports discovery via `<link>` tags

Daily Mile (<http://www.dailymile.com>)

- URL scheme: `http://www.dailymile.com/people/*/entries/*`
- API endpoint: `http://api.dailymile.com/oembed?format=json` (only supports `json`)
- Example:
<http://api.dailymile.com/oembed?format=json&url=http%3A%2F%2Fwww.dailymile.com%2Fpeople%2FEddiej3%2Fentries%2F24776213>

Dailymotion (<https://www.dailymotion.com>)

- URL scheme: `https://www.dailymotion.com/video/*`
- API endpoint: `https://www.dailymotion.com/services/oembed`
- Documentation: <https://developer.dailymotion.com/player#player-oembed>
- Example:
https://www.dailymotion.com/services/oembed?format=xml&url=http%3A%2F%2Fwww.dailymotion.com%2Fvideo%2Fxxulz_babysitter_animals
- Supports discovery via `<link>` tags

Deseretnews.com (<https://www.deseretnews.com>)

- URL scheme: `https://*.deseretnews.com/*`
- API endpoint: `https://embed.deseretnews.com/`
- Example:
<https://embed.deseretnews.com/?url=https://graphics.deseretnews.com/american-family-survey/becoming-an-adult&format=json>

Deviantart.com (<http://www.deviantart.com>)

- URL scheme: `http://*.deviantart.com/art/*`
- URL scheme: `http://*.deviantart.com/*#/d*`
- URL scheme: `http://fav.me/*`
- URL scheme: `http://sta.sh/*`
- API endpoint: `http://backend.deviantart.com/oembed`
- Documentation: <http://www.deviantart.com/developers/oembed>
- Example:
<http://backend.deviantart.com/oembed?format=xml&url=http%3A%2F%2Fbrowse.deviantart.com%2Fart%2FVita-Brevis-379998342>

Didacte (<https://www.didacte.com/>)

- URL scheme: `https://*.didacte.com/a/course/*`
- API endpoint: `https://*.didacte.com/cards/oembed'` (only supports `json`)
- Example:
<https://finchp.didacte.com/cards/oembed?url=https%3A%2F%2Ffinchp.didacte.com%2Fa%2Fcourse%2F363%3Flocale%3Dfr>
- Supports discovery via `<link>` tags

Digiteka (<https://www.ultimedia.com/>)

- URL scheme: `https://www.ultimedia.com/central/video/edit/id/*/topic_id/*/`
- URL scheme: `https://www.ultimedia.com/default/index/videogeneric/id/*/showtitle/1/viewnc/1`
- URL scheme: `https://www.ultimedia.com/default/index/videogeneric/id/*`
- API endpoint: `https://www.ultimedia.com/api/search/oembed`
- Example:
<https://www.ultimedia.com/api/search/oembed?url=https%3A%2F%2Fwww.ultimedia.com%2Fdefault%2Findex%2Fvideogeneric%2Fid%2Fsmxuxm&format=json>
- Example:
<https://www.ultimedia.com/api/search/oembed?url=https%3A%2F%2Fwww.ultimedia.com%2Fdefault%2Findex%2Fvideogeneric%2Fid%2Fsmxuxm&format=xml>

Dipity (<http://www.dipity.com>)

- URL scheme: `http://www.dipity.com/*/*/`
- API endpoint: `http://www.dipity.com/oembed/timeline/`
- Example:
http://www.dipity.com/oembed/timeline/?format=xml&url=http%3A%2F%2Fwww.dipity.com%2Fragutier%2Fhistoria_de_la_web%2F

DocDroid (<https://www.docdroid.net/>)

- URL scheme: `https://*.docdroid.net/*`
- URL scheme: `http://*.docdroid.net/*`
- URL scheme: `https://docdro.id/*`
- URL scheme: `http://docdro.id/*`
- API endpoint: `https://www.docdroid.net/api/oembed` (only supports `json`)
- Example:
<https://www.docdroid.net/api/oembed?url=https%3A%2F%2Fwww.docdroid.net%2FhptvUCe%2Fexample-document.docx.html>
- Supports discovery via `<link>` tags

Dotsub (<http://dotsub.com/>)

- URL scheme: `http://dotsub.com/view/*`
- API endpoint: `http://dotsub.com/services/oembed`
- Documentation: <http://dotsub.com/solutions/oEmbed>
- Example:
<http://dotsub.com/services/oembed?url=http%3A%2F%2Fdotsub.com%2Fview%2F665bd0d5-a9f4-4a07-9d9e-b31ba926ca78&format=xml>

DTube (<https://d.tube/>)

- URL scheme: `https://d.tube/v/*`
- API endpoint: `https://api.d.tube/oembed`
- Example: <https://api.d.tube/oembed?url=https://d.tube/v/benswann/zqd630em>
- Example:
<https://api.d.tube/oembed?format=xml&url=https://d.tube/v/marketingmonk/t0fj6eip>
- Supports discovery via `<link>` tags

edocr (<http://www.edocr.com>)

- URL scheme: `http://edocr.com/docs/*`
- API endpoint: `http://edocr.com/api/oembed`
- Documentation: <http://www.edocr.com/oembed-documentation>
- Example:
<http://www.edocr.com/api/oembed/?format=json&url=http%3A%2F%2Fwww.edocr.com%2Fdoc%2F144677%2Fcapillary-technologies-corporate-brochure>

eduMedia (<https://www.edumedia-sciences.com/>)

- API endpoint: `https://www.edumedia-sciences.com/oembed.json`
- Example: <https://www.edumedia-sciences.com/oembed.json?url=https%3A//www.edumedia-sciences.com/en/media/834-9-months-to-create-life>
- Example: <https://www.edumedia-sciences.com/oembed.json?url=https%3A//www.edumedia-sciences.com/fr/media/836>
- Supports discovery via `<link>` tags
- API endpoint: `https://www.edumedia-sciences.com/oembed.xml`
- Example: <https://www.edumedia-sciences.com/oembed.xml?url=https%3A//www.edumedia-sciences.com/en/media/834-9-months-to-create-life>

[months-to-create-life](#)

- Example: <https://www.edumedia-sciences.com/oembed?url=https%3A//www.edumedia-sciences.com/fr/media/836>
- Supports discovery via `<link>` tags

EgliseInfo (<http://egliseinfo.catholique.fr/>)

- URL scheme: `http://egliseinfo.catholique.fr/*`
- API endpoint: `http://egliseinfo.catholique.fr/api/oembed`
- Example:
<http://egliseinfo.catholique.fr/api/oembed?url=http%3A%2F%2Fegliseinfo.catholique.fr%2Fhoraires%2Fparis&format=json>
- Example:
<http://egliseinfo.catholique.fr/api/oembed?url=http%3A%2F%2Fegliseinfo.catholique.fr%2Fhoraires%2Fparis&format=xml>
- Supports discovery via `<link>` tags

Embed Articles (<http://embedarticles.com/>)

- URL scheme: `http://embedarticles.com/*`
- API endpoint: `http://embedarticles.com/oembed/`
- Example:
<http://embedarticles.com/oembed/?url=http://embedarticles.com/article/101887/yemi~alde~ft.~selebobo~~na~gode/>

Embedly (<http://api.embed.ly/>)

- API endpoint: `http://api.embed.ly/1/oembed`
- Documentation: <http://api.embed.ly/documentation>
- Example:
<http://api.embed.ly/1/oembed?url=http%3A%2F%2Fwww.youtube.com%2Fwatch%3Fv%3DB-m6JDYRFvk>
- URL scheme: Various (see docs)
- Incorporating oohEmbed (<http://oohembed.com/>)

Ethfiddle (<https://www.ethfiddle.com/>)

- URL scheme: `https://ethfiddle.com/*`
- API endpoint: `https://ethfiddle.com/services/oembed/`
- Example:
<https://ethfiddle.com/services/oembed?url=https%3A%2F%2Fethfiddle.com%2FY8ly49zDJ>

0&format=json

- Supports discovery via `<link>` tags

Eyrie (<https://eyrie.io/>)

- URL scheme: `https://eyrie.io/board/*`
- URL scheme: `https://eyrie.io/sparkfun/*`
- API endpoint: `https://eyrie.io/v1/oembed`
- Example:

<https://eyrie.io/v1/oembed?url=https%3A%2F%2Feyrie.io%2Fboard%2F747d351c00bc4f91ae7b95635942e685&format=json>

- Supports discovery via `<link>` tags

Facebook (Post) (<https://www.facebook.com/>)

- URL scheme: `https://www.facebook.com/*/posts/*`
- URL scheme: `https://www.facebook.com/photos/*`
- URL scheme: `https://www.facebook.com/photo.php`
- URL scheme: `https://www.facebook.com/*/activity/*`
- URL scheme: `https://www.facebook.com/permalink.php`
- URL scheme: `https://www.facebook.com/media/set?set=*`
- URL scheme: `https://www.facebook.com/questions/*`
- URL scheme: `https://www.facebook.com/notes/*/*/*`
- API endpoint: `https://www.facebook.com/plugins/post/oembed.json`

- Documentation: <https://developers.facebook.com/docs/plugins/oembed-endpoints>
- Example:

<https://www.facebook.com/plugins/post.php?href=https%3A%2F%2Fwww.facebook.com%2Fethindiaco%2Fposts%2F743464362652316&width=500>

- Supports discovery via `<link>` tags

Facebook (Video) (<https://www.facebook.com/>)

- URL scheme: `https://www.facebook.com/*/videos/*`
- URL scheme: `https://www.facebook.com/video.php`
- API endpoint: `https://www.facebook.com/plugins/video/oembed.json`

- Documentation: <https://developers.facebook.com/docs/plugins/oembed-endpoints>
- Example:

<https://www.facebook.com/plugins/video/oembed.json?url=https%3A%2F%2Fwww.facebook.com%2Ffacebook%2Fvideos%2F10153231379946729%2F>

- Supports discovery via `<link>` tags

Fader (<https://app.getfader.com>)

- URL scheme: `https://app.getfader.com/projects/*/publish`
- API endpoint: `https://app.getfader.com/api/oembed` (only supports `json`)
- Example:

<http://app.getfader.com/api/oembed?url=https%3A%2F%2Fapp.getfader.com%2Fprojects%2F89a73dd0-4926-4f05-a9a8-6896a0a07a71%2Fpublish&format=json>

Faithlife TV (<https://faithlifetv.com>)

- URL scheme: `https://faithlifetv.com/items/*`
- URL scheme: `https://faithlifetv.com/items/resource/*/*`
- URL scheme: `https://faithlifetv.com/media/*`
- URL scheme: `https://faithlifetv.com/media/assets/*`
- URL scheme: `https://faithlifetv.com/media/resource/*/*`
- API endpoint: `https://faithlifetv.com/api/oembed`
- Example:

<https://faithlifetv.com/api/oembed?url=https%3A%2F%2Ffaithlifetv.com%2Fitems%2F300027&format=json>

- Example:
- <https://faithlifetv.com/api/oembed?url=https%3A%2F%2Ffaithlifetv.com%2Fmedia%2F300027&format=json>
- Supports discovery via `<link>` tags

Flat (<https://flat.io>)

- URL scheme: `https://flat.io/score/*`
- URL scheme: `https://*.flat.io/score/*`
- API endpoint: `https://flat.io/services/oembed`
- Documentation: <https://flat.io/developers/docs/embed/oembed.html>
- Example:

<https://flat.io/services/oembed?url=https%3A%2F%2Fflat.io%2Fscore%2F56ae21579a127715a02901a6>

- Supports discovery via `<link>` tags

Flickr (<http://www.flickr.com/>)

- URL scheme: `http://*.flickr.com/photos/*`
- URL scheme: `http://flic.kr/p/*`
- API endpoint: `http://www.flickr.com/services/oembed/`
- Example:

<http://flickr.com/services/oembed?url=http%3A%2F%2Fflickr.com%2Fphotos%2Fbees%2F2362225867%2F>

- Supports discovery via `<link>` tags

Flourish (<https://flourish.studio/>)

- URL scheme: `https://public.flourish.studio/visualisation/*`
- URL scheme: `https://public.flourish.studio/story/*`
- API endpoint: `https://app.flourish.studio/api/v1/oembed`
- Example:
<https://app.flourish.studio/api/v1/oembed?url=https%3A%2F%2Fpublic.flourish.studio%2Fvisualisation%2F47988%2F>
- Supports discovery via `<link>` tags

Fontself (<https://www.fontself.com>)

- URL scheme: `https://catapult.fontself.com/*`
- API endpoint: `https://oembed.fontself.com/`
- Example: <https://oembed.fontself.com/?url=https://catapult.fontself.com/MEdLOEq/gilbert-color-bold-preview4>
- Example:
<https://oembed.fontself.com/?url=https://catapult.fontself.com/gj8ejaq/welcome-regular>

FOX SPORTS Australia (<http://www.foxsports.com.au>)

- URL scheme: `http://fiso.foxsports.com.au/isomorphic-widget/*`
- URL scheme: `https://fiso.foxsports.com.au/isomorphic-widget/*`
- API endpoint: `https://fiso.foxsports.com.au/oembed`
- Documentation: <https://fiso.foxsports.com.au>
- Example:
<http://fiso.foxsports.com.au/oembed?url=http%3A%2F%2Ffiso.foxsports.com.au%2Fisomorphic-widget%2Fscoreboard%2F1.0.0%2Fscoreboard.html>
- Example:
<http://fiso.foxsports.com.au/oembed?url=http%3A%2F%2Ffiso.foxsports.com.au%2Fisomorphic-widget%2Fscoreboard%2F1.0.0%2Fscoreboard.html&maxwidth=700>
- URL Scheme: You must pass your api key as the "statsApiKey" parameter.
- Example URLs: You will need a valid version, project, and fragment name.
- See docs url for more information

FrameBuzz (<https://framebuzz.com/>)

- URL scheme: `http://framebuzz.com/v/*`
- URL scheme: `https://framebuzz.com/v/*`
- API endpoint: `https://framebuzz.com/oembed/`

- Example:

<https://framebuzz.com/oembed?url=https%3A%2F%2Fframebuzz.com%2Fv%2Ftjtj3rN1usqAeY%2F>

- Supports discovery via `<link>` tags

FunnyOrDie (<http://www.funnyordie.com/>)

- URL scheme: `http://www.funnyordie.com/videos/*`
- API endpoint: `http://www.funnyordie.com/oembed.{format}`
- Example:

<http://www.funnyordie.com/oembed.xml?url=http%3A%2F%2Fwww.funnyordie.com%2Fvideos%2Fa7311134ac%2Fpatton-oswalt-in-heavy-metal>

Geograph Britain and Ireland (<https://www.geograph.org.uk/>)

- URL scheme: `http://*.geograph.org.uk/*`
- URL scheme: `http://*.geograph.co.uk/*`
- URL scheme: `http://*.geograph.ie/*`
- URL scheme: `http://*.wikimedia.org/*_geograph.org.uk_*`
- API endpoint: `http://api.geograph.org.uk/api/oembed`
- Example:

<http://api.geograph.org.uk/api/oembed?url=http%3A%2F%2Fwww.geograph.org.uk%2Fphotos%2F2928776&format=json>

- Example:
- File scheme: `geograph- \d+- *.jpg` (files saved from Geograph may look like this)
- Scheme `http://*.wikimedia.org/*_geograph.org.uk_*` can also help with Geograph images crossloaded to Wikimedia Commons

Geograph Channel Islands (<http://channel-islands.geograph.org/>)

- URL scheme: `http://*.geograph.org.gg/*`
- URL scheme: `http://*.geograph.org.je/*`
- URL scheme: `http://channel-islands.geograph.org/*`
- URL scheme: `http://channel-islands.geographs.org/*`
- URL scheme: `http://*.channel.geographs.org/*`
- API endpoint: `http://www.geograph.org.gg/api/oembed`
- Example:

<http://www.geograph.org.gg/api/oembed?url=http%3A%2F%2Fwww.geograph.org.gg%2Fphoto%2F773>

- Example:

http://www.geograph.org.gg/api/oembed?url=http%3A%2F%2Fs1.channel.geographs.org%2Fphotos%2F00%2F07%2F000773_e1e23765_120x120.jpg&format=json

Geograph Germany (<http://geo-en.hlipp.de/>)

- URL scheme: `http://geo-en.hlipp.de/*`
- URL scheme: `http://geo.hlipp.de/*`
- URL scheme: `http://germany.geograph.org/*`
- API endpoint: `http://geo.hlipp.de/restapi.php/api/oembed`
- Example:

<http://geo.hlipp.de/restapi.php/api/oembed?url=http%3A%2F%2Fgeo.hlipp.de%2Fphoto%2F20260&format=json>
- Example:

http://geo.hlipp.de/restapi.php/api/oembed?url=http%3A%2F%2Fgeo.hlipp.de%2Fphotos%2F02%2F02%2F020260_dcfdbf8e.jpg

Getty Images (<http://www.gettyimages.com/>)

- URL scheme: `http://gty.im/*`
- API endpoint: `http://embed.gettyimages.com/oembed` (only supports `json`)
- Documentation: <http://developers.gettyimages.com/api/docs/v2/endpoints/oembed/>
- Example:

<http://embed.gettyimages.com/oembed?url=http%3a%2f%2fgty.im%2f74917285&caller=oembed.com>

Gfycat (<https://gfycat.com/>)

- URL scheme: `http://gfycat.com/*`
- URL scheme: `http://www.gfycat.com/*`
- URL scheme: `https://gfycat.com/*`
- URL scheme: `https://www.gfycat.com/*`
- API endpoint: `https://api.gfycat.com/v1/oembed`
- Example:

<https://api.gfycat.com/v1/oembed?url=http%3A%2F%2Fwww.gfycat.com%2FRichPepperyFerret>
- Supports discovery via `<link>` tags

Gifnote (<https://www.gifnote.com/>)

- URL scheme: `https://www.gifnote.com/play/*`
- API endpoint: `https://www.gifnote.com/services/oembed`

- Example:

<https://www.gifnote.com/services/oembed?url=http%3A%2F%2Fwww.gifnote.com%2Fplay%2F237672132731995400>

- Example:

<https://www.gifnote.com/services/oembed?url=http%3A%2F%2Fwww.gifnote.com%2Fplay%2F237672132731995400&format=xml>

- Supports discovery via `<link>` tags

GIPHY (<https://giphy.com>)

- URL scheme: `https://giphy.com/gifs/*`
- URL scheme: `http://gph.is/*`
- URL scheme: `https://media.giphy.com/media/*/giphy.gif`
- API endpoint: `https://giphy.com/services/oembed`
- Example:

<https://giphy.com/services/oembed?url=https%3A%2F%2Fgiphy.com%2Fgifs%2Fcant-hardly-wait-kW8mnYSNkUYKc>

- Supports discovery via `<link>` tags

GloriaTV (<https://gloria.tv/>)

- API endpoint: `https://gloria.tv/oembed/`
- Example:

<https://gloria.tv/oembed/?url=https%3A%2F%2Fgloria.tv%2Fvideo%2FFRqEWoz7GfGt1pfhD4krcgyqC>

- Supports discovery via `<link>` tags

Gyazo (<https://gyazo.com>)

- URL scheme: `https://gyazo.com/*`
- API endpoint: `https://api.gyazo.com/api/oembed` (only supports `json`)
- Documentation: <https://gyazo.com/api/docs/image#oembed>
- Example:

<https://api.gyazo.com/api/oembed?url=https://gyazo.com/71e107d77e8495f0e54d2e5b6dc5d326>

hearthis.at (<https://hearthis.at/>)

- URL scheme: `https://hearthis.at/*/*/`
- API endpoint: `https://hearthis.at/oembed/`
- Documentation: [TBD](#)

- Example: <https://hearthis.at/oembed?url=https://hearthis.at/gdsfm/20180922-motherland-soundsystem-im-sender/&format=json>
- Example: <https://hearthis.at/oembed?url=https://hearthis.at/gdsfm/20180922-motherland-soundsystem-im-sender/&format=xml>
- Supports discovery via `<link>` tags

HuffDuffer (<http://huffduffer.com>)

- URL scheme: `http://huffduffer.com/*/`
- API endpoint: `http://huffduffer.com/oembed`
- Example: <http://huffduffer.com/oembed?url=http%3A%2F%2Fhuffduffer.com%2Fjxpx777%2F125342&format=xml>

Hulu (<http://www.hulu.com/>)

- URL scheme: `http://www.hulu.com/watch/`
- API endpoint: `http://www.hulu.com/api/oembed.{format}`
- Example: <http://www.hulu.com/api/oembed.xml?url=http%3A%2F%2Fwww.hulu.com%2Fwatch%2F20807%2Flate-night-with-conan-obrien-wed-may-21-2008>

iFixit (<http://www.iFixit.com>)

- URL scheme: `http://www.ifixit.com/Guide/View/`
- API endpoint: `http://www.ifixit.com/Embed`
- Documentation: <http://www.ifixit.com/api/doc/embed>
- Example: <http://www.ifixit.com/Embed?url=http%3A%2F%2Fwww.ifixit.com%2FTeardown%2FiPhone-4-Teardown%2F3130%2F1&format=json>

IFTTT (<http://www.ifttt.com/>)

- URL scheme: `http://ifttt.com/recipes/`
- API endpoint: `http://www.ifttt.com/oembed/`
- Example: <https://ifttt.com/oembed?url=https%3A%2F%2Fifttt.com%2Frecipes%2F107745>
- Supports discovery via `<link>` tags

Indaco (<https://player.indacolive.com/>)

- URL scheme: `https://player.indacolive.com/player/jwp/clients/`

- API endpoint: `https://player.indacolive.com/services/oembed` (only supports `json`)
- Example:

https://player.indacolive.com/services/oembed?url=http%3A%2F%2Fplayer.indacolive.com%2Fplayer%2Fjwp%2Fclients%2Ftest%2F2016%2F9%2Fpallacanestro_reggiana%2F

Infogram (<https://infogr.am/>)

- URL scheme: `https://infogr.am/*`
- API endpoint: `https://infogr.am/oembed`
- Example: <https://infogr.am/oembed?url=https%3A%2F%2Finfogr.am%2Famazon-and-the-book-market>

Infoveave (<https://infoveave.net/>)

- URL scheme: `https://*.infoveave.net/E/*`
- URL scheme: `https://*.infoveave.net/P/*`
- API endpoint: `https://infoveave.net/services/oembed/`
- Example: <https://infoveave.net/services/oembed?url=https://demo.infoveave.net/E/ZGVtb3wxfENIfDU2OTR8MjAxflHRydWV8dHJlZQ==%7CAP25RKrQl0t&format=json>
- Example: <https://infoveave.net/services/oembed?url=https://demo.infoveave.net/E/ZGVtb3wxfElCfDI1Mjh8MjAxflHRydWV8dHJlZQ==%7CfUCXVFSUrLe&format=json>
- Example: <https://infoveave.net/services/oembed?url=https://demo.infoveave.net/E/ZGVtb3wxfENIfDQ5MjV8MjAxflHRydWV8dHJlZQ==%7C3x0P5uN99p3&format=json>
- Supports discovery via `<link>` tags

Injurymap (<https://www.injurymap.com/>)

- URL scheme: `https://www.injurymap.com/exercises/*`
- API endpoint: `https://www.injurymap.com/services/oembed`
- Example: <https://www.injurymap.com/services/oembed?format=json&url=https%3A//injurymap.com/exercises/ZHSJKssCjIDF>
- Example: <https://www.injurymap.com/services/oembed?format=xml&url=https%3A//injurymap.com/exercises/ZHSJKssCjIDF>
- Supports discovery via `<link>` tags

Inoreader (<https://www.inoreader.com>)

- URL scheme: `https://www.inoreader.com/oembed/`
- API endpoint: `https://www.inoreader.com/oembed/api/`
- Documentation: <https://www.inoreader.com/developers/oembed>
- Example:
<https://www.inoreader.com/oembed/api/article?url=http%3A%2F%2Fwww.inoreader.com%2Farticle%2F3a9c6e7f31414b1c-how-to-prevent-spotify-from-wasting-disk-space&format=json>
- Example:
<https://www.inoreader.com/oembed/api/article?url=http%3A%2F%2Fwww.inoreader.com%2Farticle%2F3a9c6e7f31414b1c-how-to-prevent-spotify-from-wasting-disk-space&format=xml>
- Supports discovery via `<link>` tags

inphood (<http://inphood.com/>)

- URL scheme: `http://*.inphood.com/*`
- API endpoint: `http://api.inphood.com/oembed` (only supports `json`)
- Example:
<http://api.inphood.com/oembed/?url=http%3A%2F%2Fwww.label.inphood.com%2F%3Fquery%26user%3Dtest%26label%3D-KeuRz0ubjnQVkJCmGDH>

Instagram (<https://instagram.com>)

- URL scheme: `http://instagram.com/p/*`
- URL scheme: `http://instagr.am/p/*`
- URL scheme: `http://www.instagram.com/p/*`
- URL scheme: `http://www.instagr.am/p/*`
- URL scheme: `https://instagram.com/p/*`
- URL scheme: `https://instagr.am/p/*`
- URL scheme: `https://www.instagram.com/p/*`
- URL scheme: `https://www.instagr.am/p/*`
- API endpoint: `https://api.instagram.com/oembed` (only supports `json`)
- Documentation: <https://www.instagram.com/developer/embedding/#oembed>
- Example:
<https://api.instagram.com/oembed?url=http%3A%2F%2Finstagram.com%2Fp%2FV8UMy0Ljpx%2F>

iSnare Articles (<https://www.isnare.com/>)

- URL scheme: `https://www.isnare.com/*`
- API endpoint: `https://www.isnare.com/oembed/`
- Example:

<https://www.isnare.com/oembed/?url=http%3A%2F%2Fwww.isnare.com%2F%3Faid%3D1897753%26ca%3DMarketing>

Issuu (<https://issuu.com/>)

- URL scheme: `https://issuu.com/*/docs/*`
- API endpoint: `https://issuu.com/oembed`
- Documentation: <https://developer.issuu.com/oembed/>
- Example:

<https://issuu.com/oembed?url=https%3A%2F%2Fissuu.com%2Fscience%2Fdocs%2Fissue23&format=json>

- Supports discovery via `<link>` tags

ivlismusic (<https://music.ivlis.kr/>)

- API endpoint: `https://music.ivlis.kr/oembed`
- Example:

<https://music.ivlis.kr/oembed/?format=xml&url=https%3A%2F%2Fmusic.ivlis.kr%2F%3Fartist%3DJustin%2520Bieber%26track%3DSorry>

- Example:
- Supports discovery via `<link>` tags

<https://music.ivlis.kr/oembed/?format=json&url=https%3A%2F%2Fmusic.ivlis.kr%2F%3Fartist%3DJustin%2520Bieber%26track%3DSorry>

Kickstarter (<http://www.kickstarter.com>)

- URL scheme: `http://www.kickstarter.com/projects/*`
- API endpoint: `http://www.kickstarter.com/services/oembed`
- Example:

<http://www.kickstarter.com/services/oembed?url=http%3A%2F%2Fwww.kickstarter.com%2Fprojects%2F1115015686%2Fhelp-support-the-kiggins-theatre-to-go-digital>

Kidoju (<https://www.kidoju.com/>)

- URL scheme: `https://www.kidoju.com/en/x/*/*`
- URL scheme: `https://www.kidoju.com/fr/x/*/*`
- API endpoint: `https://www.kidoju.com/api/oembed`

- Example:

<https://www.kidoju.com/api/oembed?url=https://www.kidoju.com/en/x/57c1c06430c6681900538352/57c1c06530c6681900538353&format=json>

- Example:

<https://www.kidoju.com/api/oembed?url=https://www.kidoju.com/en/x/57c1c06430c6681900538352/57c1c06530c6681900538353&format=xml>

Kit (<https://kit.com/>)

- URL scheme: `http://kit.com/*/*`
- URL scheme: `https://kit.com/*/*`
- API endpoint: `https://embed.kit.com/oembed`
- Example: <https://embed.kit.com/oembed?url=https://kit.com/MKBHD/video-gear>
- Example: <https://embed.kit.com/oembed?url=https://kit.com/YARNutopia/nintendo-nes-controller-pixel-blanket-crochet-supplies-kit>
- Supports discovery via `<link>` tags

Kitchenbowl (<http://www.kitchenbowl.com>)

- URL scheme: `http://www.kitchenbowl.com/recipe/*`
- API endpoint: `http://www.kitchenbowl.com/oembed`
- Example: <http://www.kitchenbowl.com/oembed?url=http%3A%2F%2Fwww.kitchenbowl.com%2Frecipe%2FNVsYg1R8ql%2Fpork-and-shiitake-mushroom-dumplings>
- Supports discovery via `<link>` tags

Knacki (<http://jdr.knacki.info>)

- URL scheme: `http://jdr.knacki.info/meuh/*`
- URL scheme: `https://jdr.knacki.info/meuh/*`
- API endpoint: `https://jdr.knacki.info/oembed`
- Example: <https://jdr.knacki.info/oembed?url=https://jdr.knacki.info/meuh/desole;format=json>

LearningApps.org (<http://learningapps.org/>)

- URL scheme: `http://learningapps.org/*`
- API endpoint: `http://learningapps.org/oembed.php`
- Example: <http://learningapps.org/oembed.php?format=json&url=http%3A%2F%2FLearningApps.org%2F259>

- Supports discovery via `<link>` tags

Lille.Pod (<https://pod-test.univ-lille.fr/>)

- URL scheme: `https://pod-test.univ-lille.fr/video/*`
- API endpoint: `https://pod-test.univ-lille.fr/oembed`
- Example: <https://pod-test.univ-lille.fr/oembed?url=https%3A%2F%2Fpod-test.univ-lille.fr/video/5493-test-clip-discipline/>
- Example: <https://pod-test.univ-lille.fr/oembed?url=https%3A%2F%2Fpod-test.univ-lille.fr/video/5493-test-clip-discipline/&format=xml>
- Supports discovery via `<link>` tags

Livestream (<https://livestream.com/>)

- URL scheme: `https://livestream.com/accounts/*/events/*`
- URL scheme: `https://livestream.com/accounts/*/events/*/videos/*`
- URL scheme: `https://livestream.com/*/events/*`
- URL scheme: `https://livestream.com/*/events/*/videos/*`
- URL scheme: `https://livestream.com/*/*`
- URL scheme: `https://livestream.com/*/*/videos/*`
- API endpoint: `https://livestream.com/oembed`
- Example: <https://livestream.com/oembed?url=https%3A%2F%2Flivestream.com%2Flivestream%2F3camkit>
- Example: <https://livestream.com/oembed?url=https%3A%2F%2Flivestream.com%2Flivestream%2F3camkit%2Fvideos%2F150060311>
- Supports discovery via `<link>` tags

Ludus (<https://ludus.one>)

- URL scheme: `https://app.ludus.one/*`
- API endpoint: `https://app.ludus.one/oembed` (only supports `json`)
- Example: <https://app.ludus.one/oembed?url=https%3A%2F%2Fapp.ludus.one%2Ffd01598e-5ed7-4edb-8d0e-cf75a36e0a07>
- Supports discovery via `<link>` tags

MathEmbed (<http://mathembed.com>)

- URL scheme: `http://mathembed.com/latex?inputText=*`
- URL scheme: `http://mathembed.com/latex?inputText=*`

- API endpoint: `http://mathembed.com/oembed`

- Example:

[http://mathembed.com/oembed?url=http%3A%2F%2Fmathembed.com%2Flatex?inputText=f\(x\)](http://mathembed.com/oembed?url=http%3A%2F%2Fmathembed.com%2Flatex?inputText=f(x))

me.me (<https://me.me/>)

- URL scheme: `https://me.me/i/*`

- API endpoint: `https://me.me/oembed`

- Example:

<https://me.me/oembed/?format=json&url=https%3A%2F%2Fme.me%2Fi%2F3174471>

- Example:

<https://me.me/oembed/?format=xml&url=https%3A%2F%2Fme.me%2Fi%2F3174471>

- Supports discovery via `<link>` tags

Medienarchiv der Künste - Zürcher Hochschule der Künste (<https://medienarchiv.zhdk.ch/>)

- URL scheme: `https://medienarchiv.zhdk.ch/entries/*`

- API endpoint: `https://medienarchiv.zhdk.ch/oembed.{format}`

- Documentation: <http://madek.readthedocs.io/en/latest/development/embeds/>

- Example:

<https://medienarchiv.zhdk.ch/oembed.json?url=https%3A%2F%2Fmedienarchiv.zhdk.ch%2Fentries%2Fda88e9e6-6b53-447b-8113-637d885f8ab2>

- Example:

<https://medienarchiv.zhdk.ch/oembed.xml?url=https%3A%2F%2Fmedienarchiv.zhdk.ch%2Fentries%2Fda88e9e6-6b53-447b-8113-637d885f8ab2>

- Supports discovery via `<link>` tags

Meetup (<http://www.meetup.com>)

- URL scheme: `http://meetup.com/*`

- URL scheme: `https://www.meetup.com/*`

- URL scheme: `https://meetup.com/*`

- URL scheme: `http://meetu.ps/*`

- API endpoint: `https://api.meetup.com/oembed` (only supports `json`)

- Documentation: http://www.meetup.com/meetup_api/docs/oembed/

- Example:

<https://api.meetup.com/oembed?format=json&url=http%3A%2F%2Fwww.meetup.com%2FPHPColMeetup%2Fphotos%2F>

MixCloud (<http://mixcloud.com/>)

- URL scheme: `http://www.mixcloud.com/*/*/`
- API endpoint: `http://www.mixcloud.com/oembed/`
- Documentation: <http://www.mixcloud.com/developers/documentation/>
- Example: http://www.mixcloud.com/oembed/?url=http%3A%2F%2Fwww.mixcloud.com%2FTechnoLiveSets%2Fjon_rundell-live-electrobeach-festival-benidorm-16-08-2013%2F&format=xml

Moby Picture (<http://www.mobypicture.com>)

- URL scheme: `http://www.mobypicture.com/user/*/view/*`
- URL scheme: `http://moby.to/*`
- API endpoint: `http://api.mobypicture.com/oEmbed`
- Example: http://api.mobypicture.com/oEmbed?format=xml&url=http%3A%2F%2Fmobypicture.com%2Fuser%2FHenk_Voermans%2Fview%2F15880044

Modelo (<http://modelo.io/>)

- URL scheme: `https://beta.modelo.io/embedded/*`
- API endpoint: `https://portal.modelo.io/oembed`
- Example: [https://portal.modelo.io/oembed?url=https%3A%2F%2Fbeta.modelo.io%2Fembedded%2FCM89QBIZtp%3Fviewport%3Dfalse%26autoplay%3Dfalse&modelName=3901_MBucks_Sc heme09%20\(1\)&authorName=Tian%20Deng&width=640&height=360](https://portal.modelo.io/oembed?url=https%3A%2F%2Fbeta.modelo.io%2Fembedded%2FCM89QBIZtp%3Fviewport%3Dfalse%26autoplay%3Dfalse&modelName=3901_MBucks_Sc heme09%20(1)&authorName=Tian%20Deng&width=640&height=360)
- Example: https://portal.modelo.io/oembed?url=https%3A%2F%2Fbeta.modelo.io%2Fembedded%2FPB4PgLTHJq%3Fviewport%3Dfalse%26autoplay%3Dfalse&modelName=JASPER%20ARCHITECTS%20-%20161012_LISBOA_TODO_CON%20TERRENO_67_unix&authorName=Tian%20Deng&with h=640&height=360
- Supports discovery via `<link>` tags

MorphCast (<https://www.morphcast.com>)

- URL scheme: `https://m-roll.morphcast.com/mroll/*`
- API endpoint: `https://m-roll.morphcast.com/service/oembed` (only supports `json`)
- Example: https://m-roll.morphcast.com/service/oembed?url=https%3A%2F%2Fm-roll.morphcast.com%2Fmroll%2F%3Fcameraon%3Dtrue%26hidecontrols%3Dtrue%26m%3Dhonda_2%23%2Fq%3D
- Supports discovery via `<link>` tags

Music Box Maniacs (<https://musicboxmaniacs.com/>)

- URL scheme: `https://musicboxmaniacs.com/explore/melody/*`
- API endpoint: `https://musicboxmaniacs.com/embed/` (only supports `json`)
- Example:
https://musicboxmaniacs.com/embed?url=https%3A%2F%2Fmusicboxmaniacs.com%2Fexplore%2Fmelody%2Fcandyman-ost-music-box_1%2F
- Supports discovery via `<link>` tags

myBeweeg (<https://mybeweeg.com>)

- URL scheme: `https://mybeweeg.com/w/*`
- API endpoint: `https://mybeweeg.com/services/oembed`
- Example:
<https://mybeweeg.com/services/oembed?url=https://mybeweeg.com/w/NyWxXR7tb>

nanoo.tv (<https://www.nanoo.tv/>)

- URL scheme: `http://*.nanoo.tv/link/*`
- URL scheme: `http://nanoo.tv/link/*`
- URL scheme: `http://*.nanoo.pro/link/*`
- URL scheme: `http://nanoo.pro/link/*`
- URL scheme: `https://*.nanoo.tv/link/*`
- URL scheme: `https://nanoo.tv/link/*`
- URL scheme: `https://*.nanoo.pro/link/*`
- URL scheme: `https://nanoo.pro/link/*`
- URL scheme: `http://media.zhdk.ch/signatur/*`
- URL scheme: `http://new.media.zhdk.ch/signatur/*`
- URL scheme: `https://media.zhdk.ch/signatur/*`
- URL scheme: `https://new.media.zhdk.ch/signatur/*`
- API endpoint: `https://www.nanoo.tv/services/oembed`
- Example:
<http://www.nanoo.tv/services/oembed?url=https%3A%2F%2Fnanoo.tv%2Flink%2Fv%2FzBNqdjLG>
- Example:
<http://www.nanoo.tv/services/oembed?url=https%3A%2F%2Fnanoo.tv%2Flink%2Fv%2FzBNqdjLG&format=json>
- Example:
<http://www.nanoo.tv/services/oembed?url=https%3A%2F%2Fnanoo.tv%2Flink%2Fv%2FzBNqdjLG&format=xml>
- Supports discovery via `<link>` tags

Nasjonalbiblioteket (<https://www.nb.no/>)

- API endpoint: `https://api.nb.no/catalog/v1/oembed`
- Example:
<https://api.nb.no/catalog/v1/oembed?url=https://www.nb.no/items/68d7a0e64760706052519cc1c900c975>
- Example:
<https://api.nb.no/catalog/v1/oembed?url=https://www.nb.no/items/512fe10f3e2fae3c6dd08338e47535f6>
- Supports discovery via `<link>` tags

nfb.ca (<http://www.nfb.ca/>)

- URL scheme: `http://*.nfb.ca/film/*`
- API endpoint: `http://www.nfb.ca/remote/services/oembed/`
- Example:
<http://www.nfb.ca/remote/services/oembed/?url=http%3A%2F%2Fwww.nfb.ca%2Ffilm%2Faboriginality&format=xml>
- Supports discovery via `<link>` tags

Odds.com.au (<https://www.odds.com.au>)

- URL scheme: `https://www.odds.com.au/*`
- URL scheme: `https://odds.com.au/*`
- API endpoint: `https://www.odds.com.au/api/oembed/`
- Example:
<https://www.odds.com.au/api/oembed/?format=json&url=https://www.odds.com.au/odds/rugby-league/nrl/>

Official FM (<http://official.fm>)

- URL scheme: `http://official.fm/tracks/*`
- URL scheme: `http://official.fm/playlists/*`
- API endpoint: `http://official.fm/services/oembed.{format}`
- Documentation: <https://github.com/officialfm/api/blob/master/sections/oembed.md>
- Example:
<http://official.fm/services/oembed.json?url=http%3A%2F%2Fofficial.fm%2Ftracks%2FnpTR>

Omniscope (<https://omniscopes.me/>)

- URL scheme: `https://omniscopes.me/*`
- API endpoint: `https://omniscopes.me/_global_/oembed/json` (only supports `json`)

- Example:

https://omniscopes.me/_global_/oembed/json?url=https://omniscopes.me/internal/Pollution/TarantAir.iox/r/Report/

- Example:

https://omniscopes.me/_global_/oembed/json?maxWidth=1024&maxHeight=768&url=https://omniscopes.me/Demos/Brexit/Brexit+Tweets.iox/r/Report/

- Example:

https://omniscopes.me/_global_/oembed/json?url=https://omniscopes.me/Demos/Quality+of+Life/Italy+Sole24Ore.iox/

On Aol (<http://on.aol.com/>)

- URL scheme: `http://on.aol.com/video/*`

- API endpoint: `http://on.aol.com/api`

- Example:

<http://api.embed.ly/1/oembed?url=http%3A%2F%2Fon.aol.com%2Fvideo%2Fplans-to-clone-john-lennon-using-one-of-his-teeth-517906689>

Ora TV (<http://www.ora.tv/>)

- API endpoint: `https://www.ora.tv/oembed/*?format={format}`

- Example: https://www.ora.tv/oembed/0_6e6tvou17xau?format=json

- Supports discovery via `<link>` tags

Orbitvu (<https://orbitvu.co>)

- URL scheme: `https://orbitvu.co/001/*/ov3601/view`

- URL scheme: `https://orbitvu.co/001/*/ov3601/*/view`

- URL scheme: `https://orbitvu.co/001/*/ov3602/*/view`

- URL scheme: `https://orbitvu.co/001/*/2/orbittour/*/view`

- URL scheme: `https://orbitvu.co/001/*/1/2/orbittour/*/view`

- URL scheme: `http://orbitvu.co/001/*/ov3601/view`

- URL scheme: `http://orbitvu.co/001/*/ov3601/*/view`

- URL scheme: `http://orbitvu.co/001/*/ov3602/*/view`

- URL scheme: `http://orbitvu.co/001/*/2/orbittour/*/view`

- URL scheme: `http://orbitvu.co/001/*/1/2/orbittour/*/view`

- API endpoint: `http://orbitvu.co/service/oembed`

- Example:

<https://orbitvu.co/service/oembed?url=https%3A//orbitvu.co/001/JJXNutMRq8DvjEQ8Sbv8WH/ov3601/3/view&format=json>

- Example:

<https://orbitvu.co/service/oembed?url=https%3A//orbitvu.co/001/JJXNutMRq8DvjEQ8Sbv8WH/2/orbittour/61/view&format=json>

- Supports discovery via `<link>` tags

Oumy (<https://www.oumy.com/>)

- URL scheme: `https://www.oumy.com/v/*`

- API endpoint: `https://www.oumy.com/oembed`

- Example:

<https://www.oumy.com/oembed?url=https%3A%2F%2Fwww.oumy.com%2Fv%2F0NmY0a-gdvcA7wlvIXbJaBzA&format=json>

- Supports discovery via `<link>` tags

Overflow (<https://overflow.io>)

- URL scheme: `https://overflow.io/s/*`

- URL scheme: `https://overflow.io/embed/*`

- API endpoint: `https://overflow.io/services/oembed`

- Example:

<https://overflow.io/services/oembed?url=https%3A%2F%2Foverflow.io%2Fs%2F9ST7SX%2F&format=json>

- Example:

<https://overflow.io/services/oembed?url=https%3A%2F%2Foverflow.io%2Fembed%2F9ST7SX%2F&format=json>

- Supports discovery via `<link>` tags

Pastery (<https://www.pastery.net>)

- URL scheme: `http://pastery.net/*`

- URL scheme: `https://pastery.net/*`

- URL scheme: `http://www.pastery.net/*`

- URL scheme: `https://www.pastery.net/*`

- API endpoint: `https://www.pastery.net/oembed`

- Example:

<https://www.pastery.net/oembed/?format=json&url=https%3A%2F%2Fwww.pastery.net%2Fabout%2F>

- Example:

<https://www.pastery.net/oembed/?format=json&url=https%3A%2F%2Fwww.pastery.net%2Fapi%2F>

- Supports discovery via `<link>` tags

PingVP (<https://www.pingvp.com/>)

- API endpoint: `https://beta.pingvp.com.kpnis.nl/p/oembed.php`
- Example: <https://beta.pingvp.com.kpnis.nl/p/oembed.php?url=https%3A%2F%2Fbeta.pingvp.com.kpnis.nl%2Fv%2Findex.php%3Fv%3DanxXNrli31>
- Supports discovery via `<link>` tags

Pixdor (<http://www.pixdor.com/>)

- URL scheme: `https://store.pixdor.com/place-marker-widget/*/show`
- URL scheme: `https://store.pixdor.com/map/*/show`
- API endpoint: `https://store.pixdor.com/oembed` (only supports `json`, `xml`)
- Example: <https://store.pixdor.com/oembed?url=https://store.pixdor.com/place-marker-widget/20/show>
- Example: <https://store.pixdor.com/oembed?url=https://store.pixdor.com/map/25/show>
- Example: <https://store.pixdor.com/oembed.xml?url=https://store.pixdor.com/map/10/show>
- Supports discovery via `<link>` tags

Podbean (<http://podbean.com>)

- URL scheme: `https://*.podbean.com/e/*`
- URL scheme: `http://*.podbean.com/e/*`
- API endpoint: `https://api.podbean.com/v1/oembed`
- Documentation: <https://developers.podbean.com/podbean-api-docs/#api-Embed-oEmbed>
- Example: <https://api.podbean.com/v1/oembed?url=https://podcast.podbean.com/e/jen-and-vernon-chat-podcast-resolutions-twitter-advice-and-predictions-for-2019/>

Poll Daddy (<http://olldaddy.com>)

- URL scheme: `http://*.olldaddy.com/s/*`
- URL scheme: `http://*.olldaddy.com/poll/*`
- URL scheme: `http://*.olldaddy.com/ratings/*`
- API endpoint: `http://olldaddy.com/oembed/`
- Documentation: <http://support.olldaddy.com/oembed/>
- Example: <http://olldaddy.com/oembed/?url=http%3A%2F%2Folldaddy.com%2Fratings%2F39%2F&format=xml>

Port (<http://www.sellwithport.com/>)

- URL scheme: `https://app.sellwithport.com/#/buyer/*`
- API endpoint: `https://api.sellwithport.com/v1.0/buyer/oembed`
- Example:

<https://app.sellwithport.com/#/buyer/select?tId=5797c86abff35f00070175fc&pId=e52f9a54f6fe4a668d460c22f72902c0%2C2674a399f0d74ad892912af4b936116c%2Cffdf159994c74e908e4cb871f00fd02e>

- Example:
- <https://app.sellwithport.com/#/buyer/select?tId=581387a5cc80040013b0d166&pId=e35742d639b24b4a9a2246028d92b15d>

Portfolium (<https://portfolium.com>)

- URL scheme: `https://portfolium.com/entry/*`
- API endpoint: `https://api.portfolium.com/oembed`
- Documentation: https://api.portfolium.com/#!/oembed/oembed_index_get
- Example:

<https://api.portfolium.com/oembed?url=https%3A%2F%2Fportfolium.com%2Fentry%2Famerican-ninja-warrior-2011>

- Example:
- <https://api.portfolium.com/oembed?url=https%3A%2F%2Fportfolium.com%2Fentry%2Famerican-ninja-warrior-2011&format=xml>

Quiz.biz (<http://www.quiz.biz/>)

- URL scheme: `http://www.quiz.biz/quizz-*.html`
- API endpoint: `http://www.quiz.biz/api/oembed`
- Documentation: <http://www.quiz.biz/aide-oembed.php>
- Example: <http://www.quiz.biz/api/oembed?url=http%3A%2F%2Fwww.quiz.biz%2Fquizz-182015.html&format=json>
- Supports discovery via `<link>` tags

Quizz.biz (<http://www.quizz.biz/>)

- URL scheme: `http://www.quizz.biz/quizz-*.html`
- API endpoint: `http://www.quizz.biz/api/oembed`
- Documentation: <http://www.quizz.biz/aide-oembed.php>
- Example: <http://www.quizz.biz/api/oembed?url=http%3A%2F%2Fwww.quizz.biz%2Fquizz-339842.html&format=json>
- Supports discovery via `<link>` tags

RapidEngage (<https://rapidengage.com>)

- URL scheme: `https://rapidengage.com/s/*`
- API endpoint: `https://rapidengage.com/api/oembed`
- Documentation: <https://rapidengage.com/developer/docs#oembed>
- Example:
<https://rapidengage.com/api/oembed?url=https%3A%2F%2Frapidengage.com%2Fs%2F6b1faa05>
- Example:
<https://rapidengage.com/api/oembed?url=https%3A%2F%2Frapidengage.com%2Fs%2F6b1faa05&format=xml>

Reddit (<https://reddit.com/>)

- URL scheme: `https://reddit.com/r/*/comments/*/*`
- URL scheme: `https://www.reddit.com/r/*/comments/*/*`
- API endpoint: `https://www.reddit.com/oembed`
- Example:
https://www.reddit.com/oembed?url=https%3A%2F%2Fwww.reddit.com%2Fr%2Faww%2Fcomments%2F4lwccv%2Fsomeone_came_to_visit_woodchips_for_scale%2F
- Example:
https://www.reddit.com/oembed?url=https%3A%2F%2Fwww.reddit.com%2Fr%2Faww%2Fcomments%2F4lwccv%2Fsomeone_came_to_visit_woodchips_for_scale%2Fd3qol9a

ReleaseWire (<http://www.releasewire.com/>)

- URL scheme: `http://rwire.com/*`
- API endpoint: `http://publisher.releasewire.com/oembed/`
- Documentation: <http://publisher.releasewire.com/docs/oembed/>
- Example:
<http://publisher.releasewire.com/oembed/?url=http%3A%2F%2Frwire.com%2F600742&format=json>
- Supports discovery via `<link>` tags

RepubHub (<http://repubhub.icopyright.net/>)

- URL scheme: `http://repubhub.icopyright.net/freePost.act?*`
- API endpoint: `http://repubhub.icopyright.net/oembed.act`
- Example:
<http://repubhub.icopyright.net/oembed.act?url=http%3A%2F%2Frepubhub.icopyright.net>

%2FfreePost.act%3Ftag%3D3.11150%3Ficx_id%3D918814&format=json

- Supports discovery via `<link>` tags

ReverbNation (<https://www.reverbnation.com/>)

- URL scheme: `https://www.reverbnation.com/*`
- URL scheme: `https://www.reverbnation.com/*/songs/*`
- API endpoint: `https://www.reverbnation.com/oembed`
- Example:
<https://www.reverbnation.com/oembed?url=https%3A%2F%2Fwww.reverbnation.com%2Fcoralbones>
- Example:
<https://www.reverbnation.com/oembed?url=https%3A%2F%2Fwww.reverbnation.com%2Fcoralbones&format=json>
- Example:
<https://www.reverbnation.com/oembed?url=https%3A%2F%2Fwww.reverbnation.com%2Fcoralbones%2Fsong%2F4290057-rising-sand>
- Example:
<https://www.reverbnation.com/oembed?url=https%3A%2F%2Fwww.reverbnation.com%2Fcoralbones%2Fsong%2F4290057-rising-sand&format=json>
- Supports discovery via `<link>` tags

RiffReporter (<https://www.riffreporter.de/>)

- API endpoint: `https://www.riffreporter.de/service/oembed`
- Example: <https://www.riffreporter.de/service/oembed?url=https://www.riffreporter.de/was-ist-riffreporter/>
- Example:
<https://www.riffreporter.de/service/oembed/json?url=https://www.riffreporter.de/was-ist-riffreporter/>
- Example: <https://www.riffreporter.de/service/oembed?url=https://www.riffreporter.de/was-ist-riffreporter/&service=json>
- Example: <https://www.riffreporter.de/service/oembed?url=https://www.riffreporter.de/was-ist-riffreporter/&service=xml>
- Example:
<https://www.riffreporter.de/service/oembed/xml?url=https://www.riffreporter.de/was-ist-riffreporter/>
- Supports discovery via `<link>` tags

Roomshare (<http://roomshare.jp>)

- URL scheme: `http://roomshare.jp/post/*`
- URL scheme: `http://roomshare.jp/en/post/*`
- API endpoint: `http://roomshare.jp/en/oembed.{format}`
- Example:

<http://roomshare.jp/en/oembed.xml?url=http%3A%2F%2Froomshare.jp%2Fen%2Fpost%2F137167>

RoosterTeeth (<https://roosterteeth.com>)

- URL scheme: `https://roosterteeth.com/*`
- API endpoint: `https://roosterteeth.com/oembed` (only supports `json`)
- Example:

<https://roosterteeth.com/oembed?url=https%3A%2F%2Froosterteeth.com%2Fembed%2Fred-vs-blue-season-15-5-a84jh9&format=json>

- Supports discovery via `<link>` tags

Rumble (<https://rumble.com/>)

- API endpoint: `https://rumble.com/api/Media/oembed.{format}`
- Example:

<https://rumble.com/api/Media/oembed.xml?url=https%3A%2F%2Frumble.com%2Fv30jzs-dog-dont-know-where-to-hide-her-bone.html>

- Example:
<https://rumble.com/api/Media/oembed.json?url=https%3A%2F%2Frumble.com%2Fv30jzs-dog-dont-know-where-to-hide-her-bone.html>
- Supports discovery via `<link>` tags

Sapo Videos (<http://videos.sapo.pt>)

- URL scheme: `http://videos.sapo.pt/*`
- API endpoint: `http://videos.sapo.pt/oembed`
- Example:

<http://videos.sapo.pt/oembed?url=http%3A%2F%2Fvideos.sapo.pt%2FdNbiosGa9YZHfLrhkA88&format=xml>

Screen9 (<http://www.screen9.com/>)

- URL scheme: `https://console.screen9.com/*`
- URL scheme: `https://*.screen9.tv/*`
- API endpoint: `https://api.screen9.com/oembed`

- Documentation: <https://screen9.zendesk.com/hc/en-us/articles/216335038-Publish-with-oEmbed>
- Example:
<http://api.screen9.com/oembed?url=https%3A%2F%2Fvideosite.screen9.tv%2Fmedia%2Fu6txqFxdedOXiyg2lOUmTQ%2Fcrane>

Screencast.com (<http://www.screencast.com/>)

- API endpoint: `https://api.screencast.com/external/oembed`
- Example:
https://api.screencast.com/external/oembed?url=http%3A%2F%2Fwww.screencast.com%2Fusers%2FTechSmith_Media%2Ffolders%2FCamtasia%2Fmedia%2Fd89af74a-3a32-4c9f-8a85-ef83fdb5c39c
- Example:
<https://api.screencast.com/external/oembed?url=http%3A%2F%2Fwww.screencast.com%2Ft%2FJR3TiP5Dds&format=xml>
- Supports discovery via `<link>` tags

Screenr (<http://www.screenr.com/>)

- URL scheme: `http://www.screenr.com/*/`
- API endpoint: `http://www.screenr.com/api/oembed.{format}`
- Example:
<http://www.screenr.com/api/oembed.xml?url=http%3A%2F%2Fscreenr.com%2F3jns>

ScribbleMaps (<https://scribblemaps.com>)

- URL scheme: `http://www.scribblemaps.com/maps/view/*`
- URL scheme: `https://www.scribblemaps.com/maps/view/*`
- URL scheme: `http://scribblemaps.com/maps/view/*`
- URL scheme: `https://scribblemaps.com/maps/view/*`
- API endpoint: `https://scribblemaps.com/api/services/oembed.{format}`
- Example:
<https://scribblemaps.com/api/services/oembed.xml?url=https%3A%2F%2Fscribblemaps.com%2Fmaps%2Fview%2FSaigon%2FjkFLCgwlGt>
- Example:
<https://scribblemaps.com/api/services/oembed.json?url=https%3A%2F%2Fscribblemaps.com%2Fmaps%2Fview%2FSaigon%2FjkFLCgwlGt>
- Supports discovery via `<link>` tags

Scribd (<http://www.scribd.com/>)

- URL scheme: `http://www.scribd.com/doc/*`
- API endpoint: `http://www.scribd.com/services/oembed/`
- Example:

<http://www.scribd.com/services/oembed/?format=xml&url=http%3A%2F%2Fwww.scribd.com%2Fdoc%2F110799637%2FSynthesis-of-Knowledge-Effects-of-Fire-and-Thinning-Treatments-on-Understory-Vegetation-in-Dry-U-S-Forests>

SendtoNews (<http://www.sendtonews.com/>)

- URL scheme: `https://embed.sendtonews.com/oembed/*`
- API endpoint: `https://embed.sendtonews.com/services/oembed` (only supports `json`, `xml`)
- Example:

<https://embed.sendtonews.com/services/oembed?url=http://embed.sendtonews.com/oembed/?SC=luQTVUQ5ro-133019-5892&format=json>

- Example:
<https://embed.sendtonews.com/services/oembed?url=http://embed.sendtonews.com/oembed/?SC=luQTVUQ5ro-133019-5892&format=xml>
- Supports discovery via `<link>` tags

ShortNote (<https://www.shortnote.jp/>)

- URL scheme: `https://www.shortnote.jp/view/notes/*`
- API endpoint: `https://www.shortnote.jp/oembed/`
- Example:

<https://www.shortnote.jp/oembed/?url=https%3A%2F%2Fwww.shortnote.jp%2Fview%2Fnotes%2FATImFCFE>

- Supports discovery via `<link>` tags

Shoudio (<http://shoudio.com>)

- URL scheme: `http://shoudio.com/*`
- URL scheme: `http://shoud.io/*`
- API endpoint: `http://shoudio.com/api/oembed`
- Example:

<http://shoudio.com/api/oembed?format=xml&url=http%3A%2F%2Fshoudio.com%2Fuser%2Fshoister%2Fstatus%2F8122>

Show the Way, actionable location info (<https://showtheway.io>)

- URL scheme: `https://showtheway.io/to/*`
- API endpoint: `https://showtheway.io/oembed`
- Example:

<https://showtheway.io/oembed?format=json&url=https%3A%2F%2Fshowtheway.io%2Fto%2F48.85837%2C2.294481%3Fname%3DEiffel%2520Tower>

- Example:
- <https://showtheway.io/oembed?format=xml&url=https%3A%2F%2Fshowtheway.io%2Fto%2F48.85837%2C2.294481%3Fname%3DEiffel%2520Tower>
- Supports discovery via `<link>` tags

Simplecast (<https://simplecast.com>)

- URL scheme: `https://simplecast.com/s/*`
- API endpoint: `https://simplecast.com/oembed` (only supports `json`)
- Example:

<https://simplecast.com/oembed?url=https%3A%2F%2Fsimplecast.com%2Fs%2F7fe152f4>

Sizzle (<https://onsizzle.com/>)

- URL scheme: `https://onsizzle.com/i/*`
- API endpoint: `https://onsizzle.com/oembed`
- Example:

<https://onsizzle.com/oembed?format=json&url=https%3A%2F%2Fonsizzle.com%2Fi%2Ften-kingiames-last-night-lebron-james-finally-got-that-ring-3174471>

- Example:
- <https://onsizzle.com/oembed?format=xml&url=https%3A%2F%2Fonsizzle.com%2Fi%2Ften-kingiames-last-night-lebron-james-finally-got-that-ring-3174471>
- Supports discovery via `<link>` tags

Sketchfab (<http://sketchfab.com>)

- URL scheme: `http://sketchfab.com/models/*`
- URL scheme: `https://sketchfab.com/models/*`
- URL scheme: `https://sketchfab.com/*/folders/*`
- API endpoint: `http://sketchfab.com/oembed` (only supports `json`)
- Example:

<http://sketchfab.com/oembed?url=https%3A%2F%2Fsketchfab.com%2Fmodels%2Fe7995659092c4d8c92031b0a03887cfa>

- Example:
- <http://sketchfab.com/oembed?url=https%3A%2F%2Fsketchfab.com%2Fsketchfab%2Ffolders%2F5ae73138e4a1477fb87b6f48d2bfcbe>

SlideShare (<http://www.slideshare.net/>)

- URL scheme: `http://www.slideshare.net/*/`
- URL scheme: `http://fr.slideshare.net/*/`
- URL scheme: `http://de.slideshare.net/*/`
- URL scheme: `http://es.slideshare.net/*/`
- URL scheme: `http://pt.slideshare.net/*/`
- API endpoint: `http://www.slideshare.net/api/oembed/2`
- Documentation: <http://www.slideshare.net/developers/oembed>
- Example:
<http://www.slideshare.net/api/oembed/2?url=http%3A%2F%2Fwww.slideshare.net%2Fhardf%2Fbusiness-quotes-for-2011&format=json>
- Supports discovery via `<link>` tags

SmugMug (<http://www.smugmug.com/>)

- URL scheme: `http://*.smugmug.com/`
- API endpoint: `http://api.smugmug.com/services/oembed/`
- Documentation: <http://wiki.smugmug.net/display/API/oEmbed>
- Example:
https://api.smugmug.com/services/oembed/?url=https%3A%2F%2Fwww.smugmug.com%2Fpopular%2Fall%23125787395_hQSj9
- URL Scheme: `http://*.example.com/` (where example.com = SmugMug customer domain)
- Supports discovery via `<link>` tags

SocialExplorer (<https://www.socialexplorer.com/>)

- URL scheme: `https://www.socialexplorer.com/*/explore`
- URL scheme: `https://www.socialexplorer.com/*/view`
- URL scheme: `https://www.socialexplorer.com/*/edit`
- URL scheme: `https://www.socialexplorer.com/*/embed`
- API endpoint: `https://www.socialexplorer.com/services/oembed/`
- Example:
<https://www.socialexplorer.com/services/oembed/?format=json&url=https%3A%2F%2Fwww.socialexplorer.com%2Fa9676d974c%2Fexplore>
- Supports discovery via `<link>` tags

Songlink (<https://song.link>)

- URL scheme: `https://song.link/`
- API endpoint: `https://song.link/oembed` (only supports `json`)

- Example:
<https://song.link/oembed?url=https%3A%2F%2Fsong.link%2Fus%2Fi%2F1182062656&format=json>
- Example:
<https://song.link/oembed?url=https%3A%2F%2Fsong.link%2Fdpmo&format=json>
- Example:
<https://song.link/oembed?url=https%3A%2F%2Fsong.link%2Falbum%2Fs%2F0K4pIOsfj9lK8OjrZfXzd&format=json>
- Supports discovery via `<link>` tags

SoundCloud (<http://soundcloud.com/>)

- URL scheme: `http://soundcloud.com/*`
- URL scheme: `https://soundcloud.com/*`
- API endpoint: `https://soundcloud.com/oembed`
- Example:
<https://soundcloud.com/oembed?url=https%3A%2F%2Fsoundcloud.com%2Fforss%2Fflickermood>
- Example:
<https://soundcloud.com/oembed?url=https%3A%2F%2Fsoundcloud.com%2Fforss%2Fflickermood&format=json>

Soundsgood (<https://soundsgood.co>)

- URL scheme: `https://play.soundsgood.co/playlist/*`
- URL scheme: `https://soundsgood.co/playlist/*`
- API endpoint: `https://play.soundsgood.co/oembed` (only supports `json`, `xml`)
- Example:
<https://play.soundsgood.co/oembed?url=https%3A%2F%2Fplay.soundsgood.co%2Fplaylist%2F24h-avec-nuits-fauves&format=json>
- Example:
<https://play.soundsgood.co/oembed?url=https%3A%2F%2Fplay.soundsgood.co%2Fplaylist%2Fpour-siffloter-sur-les-routes&format=xml>
- Example:
<https://play.soundsgood.co/oembed?url=https%3A%2F%2Fplay.soundsgood.co%2Fplaylist%2Fnova-soundclash-or-septembre-2016&format=json>
- Supports discovery via `<link>` tags

SpeakerDeck (<https://speakerdeck.com>)

- URL scheme: `http: //speakerdeck. com/*/*`
- URL scheme: `https: //speakerdeck. com/*/*`
- API endpoint: `https: //speakerdeck. com/oembed. json` (only supports `json`)
- Example:

<https://speakerdeck.com/oembed.json?url=https%3A%2F%2Fspeakerdeck.com%2Fwallat%2Fwhy-backbone>

- Supports discovery via `<link>` tags

Spotful (<https://bespotful.com>)

- URL scheme: `http: //play. bespotful. com/*`
- API endpoint: `https: //api. bespotful. com/oembed`
- Example: <https://api.bespotful.com/oembed?url=https://play.bespotful.com/3457>
- Example:
- <https://api.bespotful.com/oembed?url=https://play.bespotful.com/3457&format=json>
- Example:
- <https://api.bespotful.com/oembed?url=https://play.bespotful.com/3457&format=xml>
- Example: <https://play.bespotful.com/3457/oembed.json>
- Supports discovery via `<link>` tags

Spotify (<https://spotify.com/>)

- URL scheme: `https: //*. spotify. com/*`
- URL scheme: `spotify: *`
- API endpoint: `https: //embed. spotify. com/oembed/`
- Example:
- <https://embed.spotify.com/oembed/?url=https://open.spotify.com/track/2qToAcex0ruZfbEbAy9OhW>
- Example:
- <https://embed.spotify.com/oembed/?url=spotify%3Aartist:7ae4vgLLhir2MCjyhgbGOQ>

Spreaker (<https://www.spreaker.com/>)

- URL scheme: `http: //*. spreaker. com/*`
- URL scheme: `https: //*. spreaker. com/*`
- API endpoint: `https: //api. spreaker. com/oembed`
- Example:
- <https://api.spreaker.com/oembed?url=https%3A%2F%2Fwww.spreaker.com%2Fuser%2F9234049%2Fworld-of-warcraft-arthas-rise-of-the-lic>
- Example:
- <https://api.spreaker.com/oembed?url=https%3A%2F%2Fwww.spreaker.com%2Fuser%2F9>

234049%2Fworld-of-warcraft-arthas-rise-of-the-lic&format=xml

- Supports discovery via `<link>` tags

Stanford Digital Repository (<https://purl.stanford.edu/>)

- URL scheme: `https://purl.stanford.edu/*`
- API endpoint: `https://purl.stanford.edu/embed.{format}`
- Example:
<https://purl.stanford.edu/embed.json?url=https%3A%2F%2Fpurl.stanford.edu%2Ffx361mt5433>
- Example:
<https://purl.stanford.edu/embed.json?url=https%3A%2F%2Fpurl.stanford.edu%2Fw090jw3474>
- Example:
<https://purl.stanford.edu/embed.json?url=https%3A%2F%2Fpurl.stanford.edu%2Fky226pt1201>
- Example:
<https://purl.stanford.edu/embed.json?url=https%3A%2F%2Fpurl.stanford.edu%2Fkd948pq9705>
- Example:
<https://purl.stanford.edu/embed.json?url=https%3A%2F%2Fpurl.stanford.edu%2Fcz128vq0535>
- Supports discovery via `<link>` tags

Streamable (<https://streamable.com/>)

- URL scheme: `http://streamable.com/*`
- URL scheme: `https://streamable.com/*`
- API endpoint: `https://api.streamable.com/oembed.json`
- Example:
<https://api.streamable.com/oembed.json?url=http%3A%2F%2Fstreamable.com%2Fifjh>
- Supports discovery via `<link>` tags

StreamOneCloud (<https://www.streamone.nl>)

- URL scheme: `https://content.streamonecloud.net/embed/*`
- API endpoint: `https://content.streamonecloud.net/oembed`
- Example:
<https://content.streamonecloud.net/oembed?format=json&url=https%3a%2f%2fcontent.streamonecloud.net%2fembed%2faccount%3d2zhpQ4DUe5oB%2fitem%3dOB5psqINP0MR>

%2ftears-of-steel.html

- Supports discovery via `<link>` tags

Sutori (<https://www.sutori.com/>)

- URL scheme: `https://www.sutori.com/story/*`
- API endpoint: `https://www.sutori.com/api/oembed` (only supports `json`)
- Example:

<https://www.sutori.com/api/oembed?url=https%3A%2F%2Fwww.sutori.com%2Fstory%2F0ur-story-8362>

- Supports discovery via `<link>` tags

Sway (<https://www.sway.com>)

- URL scheme: `https://sway.com/*`
- URL scheme: `https://www.sway.com/*`
- API endpoint: `https://sway.com/api/v1.0/oembed`
- Example:

https://sway.com/api/v1.0/oembed?url=https%3a%2f%2fsway.com%2fmaking_of_wildcat_sculpture&format=json

- Example:

<https://sway.com/api/v1.0/oembed?url=https%3a%2f%2fsway.com%2fnLa7rrYhdCmzRyQd&format=json>

- Supports discovery via `<link>` tags

Ted (<http://ted.com>)

- URL scheme: `http://ted.com/talks/*`
- API endpoint: `http://www.ted.com/talks/oembed.{format}`
- Example:

http://www.ted.com/talks/oembed.xml?url=http%3A%2F%2Fwww.ted.com%2Ftalks%2Fjill_bolte_taylor_s_powerful_stroke_of_insight.html

The New York Times (<https://www.nytimes.com>)

- URL scheme: `https://www.nytimes.com/svc/oembed`
- URL scheme: `https://nytimes.com/*`
- URL scheme: `https://*.nytimes.com/*`
- API endpoint: `https://www.nytimes.com/svc/oembed/json/`
- Example:

<https://www.nytimes.com/svc/oembed/json?url=http%3A%2F%2Fwww.nytimes.com%2F2016%2F03%2F10%2Fus%2Fpolitics%2Fhow-to-watch-democratic-debate.html>

- Example:

<https://www.nytimes.com/svc/oembed/json?url=https://www.nytimes.com/2017/02/14/business/dealbook/bundling-online-services.html>

- Supports discovery via `<link>` tags

They Said So (<https://theysaidso.com/>)

- URL scheme: `https://theysaidso.com/image/*`

- API endpoint: `https://theysaidso.com/extensions/oembed/`

- Example:

https://theysaidso.com/extensions/oembed?url=https%3A%2F%2Ftheysaidso.com%2Fi%2F13IGilhK08STqiDI5xGk_geF&format=json

- Supports discovery via `<link>` tags

TickCounter (<https://www.tickcounter.com>)

- URL scheme: `http://www.tickcounter.com/countdown/*`

- URL scheme: `http://www.tickcounter.com/countup/*`

- URL scheme: `http://www.tickcounter.com/ticker/*`

- URL scheme: `http://www.tickcounter.com/worldclock/*`

- URL scheme: `https://www.tickcounter.com/countdown/*`

- URL scheme: `https://www.tickcounter.com/countup/*`

- URL scheme: `https://www.tickcounter.com/ticker/*`

- URL scheme: `https://www.tickcounter.com/worldclock/*`

- API endpoint: `https://www.tickcounter.com/oembed`

- Example:

<https://www.tickcounter.com/oembed?url=https%3A//www.tickcounter.com/countdown/1/my-countdown&format=json>

- Example:

<https://www.tickcounter.com/oembed?url=https%3A//www.tickcounter.com/countdown/1/my-countdown&format=xml&maxwidth=650&maxheight=125>

- Supports discovery via `<link>` tags

Toornament (<https://www.toornament.com/>)

- URL scheme: `https://www.toornament.com/tournaments/*/information`

- URL scheme: `https://www.toornament.com/tournaments/*/registration/`

- URL scheme: `https://www.toornament.com/tournaments/*/matches/schedule`

- URL scheme: `https://www.toornament.com/tournaments/*/stages/*/`

- API endpoint: `https://widget.toornament.com/oembed` (only supports `json`, `xml`)

- Example:

<https://widget.toornament.com/oembed?url=https%3A%2F%2Fwww.toornament.com%2Ft>

ournaments%2F435927046347886201%2Finformation

- Supports discovery via `<link>` tags

Topy (<http://www.topy.se/>)

- URL scheme: `http://www.topy.se/image/*`
- API endpoint: `http://www.topy.se/oembed/`
- Example:

<https://topy.se/oembed?url=http%3A%2F%2Ftopy.se%2Fimage%2FX9%26format%3Djson>

- Supports discovery via `<link>` tags

Tuxx (<https://www.tuxx.be/>)

- URL scheme: `https://www.tuxx.be/*`
- API endpoint: `https://www.tuxx.be/services/oembed`
- Example:

https://www.tuxx.be/services/oembed?url=http%3A%2F%2Fwww.tuxx.be%2Fnl%2Ffeestdagen_en_gedenkdagen%2F&format=json

- Supports discovery via `<link>` tags

tvcf (<http://tvcf.co.kr>)

- URL scheme: `http://www.tvcf.co.kr/v/*`
- API endpoint: `http://www.tvcf.co.kr/services/oembed`
- Example:

<http://www.tvcf.co.kr/services/oembed?url=http%3A%2F%2Fwww.tvcf.co.kr%2Fv%2F%3Fidx%3D723215&format=json>

Twitch (<https://www.twitch.tv>)

- URL scheme: `http://clips.twitch.tv/*`
- URL scheme: `https://clips.twitch.tv/*`
- URL scheme: `http://www.twitch.tv/*`
- URL scheme: `https://www.twitch.tv/*`
- URL scheme: `http://twitch.tv/*`
- URL scheme: `https://twitch.tv/*`
- API endpoint: `https://api.twitch.tv/v4/oembed` (only supports `json`)

- Documentation: <https://github.com/justintv/Twitch-API/blob/master/embed-video.md>

- Example:

<https://api.twitch.tv/v4/oembed?url=https%3A%2F%2Fwww.twitch.tv%2Friotgames%2Fv%2F72749628>

Twitter (<http://www.twitter.com/>)

- URL scheme: `https://twitter.com/*/status/*`
- URL scheme: `https://*.twitter.com/*/status/*`
- API endpoint: `https://publish.twitter.com/oembed`
- Documentation: <https://dev.twitter.com/rest/reference/get/statuses/oembed>
- Example:
<https://publish.twitter.com/oembed?url=https%3A%2F%2Ftwitter.com%2FInterior%2Fstatus%2F507185938620219395>

Uvideo (<https://player.uvideo.com/>)

- URL scheme: `https://player.uvideo.com/*`
- API endpoint: `https://player.uvideo.com/api/oembed.json` (only supports `json`)
- Example:
<https://player.uvideo.com/api/oembed.json?url=https://player.uvideo.com/myownusername>

University of Cambridge Map (<https://map.cam.ac.uk>)

- URL scheme: `https://map.cam.ac.uk/*`
- API endpoint: `https://map.cam.ac.uk/oembed/`
- Documentation: https://wiki.cam.ac.uk/university-map/The_Embedding_API
- Example:
<https://map.cam.ac.uk/oembed/?url=https://map.cam.ac.uk/Department%20of%20Geography>

UOL (<https://mais.uol.com.br/>)

- URL scheme: `https://*.uol.com.br/view/*`
- URL scheme: `https://*.uol.com.br/video/*`
- API endpoint: `https://mais.uol.com.br/apiuol/v3/oembed/view`
- Example:
<https://mais.uol.com.br/apiuol/v3/oembed/view?format=json&url=https://mais.uol.com.br/view/qf3ks0vlifm7/15697800?types=A&>
- Example:
<https://mais.uol.com.br/apiuol/v3/oembed/view?format=xml&url=https://tvuol.uol.com.br/video/whatsapp-dos-astros-valdivia-messi-e-neymar-na-resenha-das-eliminatrias-04024E1A3762DC896326>

- Example:

<https://mais.uol.com.br/apiuol/v3/oembed/view?format=json&url=https://videos.bol.uol.com.br/video/filha-do-datena-na-playboy-e-silvio-platinado-veja-quem-deu-o-que-falar-0402CD1B3064DC896326>

- Supports discovery via `<link>` tags

Ustream (<http://www.ustream.tv>)

- URL scheme: `http://*.ustream.tv/*`
- URL scheme: `http://*.ustream.com/*`
- API endpoint: `http://www.ustream.tv/oembed` (only supports `json`)
- Example:

<http://www.ustream.tv/oembed?url=http%3A%2F%2Fwww.ustream.tv%2Fchannel%2Famericatv2oficial>

Utposts (<https://www.utposts.com/>)

- URL scheme: `https://www.utposts.com/products/*`
- URL scheme: `http://www.utposts.com/products/*`
- URL scheme: `https://utposts.com/products/*`
- URL scheme: `http://utposts.com/products/*`
- API endpoint: `https://www.utposts.com/api/oembed` (only supports `json`)
- Example:

<https://www.utposts.com/api/oembed?url=https%3A%2F%2Futposts.com%2Fproducts%2F1>

Uttles (<http://uttles.com>)

- URL scheme: `http://uttles.com/uttles/*`
- API endpoint: `http://uttles.com/api/reply/oembed`
- Example:

<http://uttles.com/api/reply/oembed?url=http%3A%2F%2Futtles.com%2Futtles%2F56b760264daebfd94ef293a2&format=json>

- Example:
- <http://uttles.com/api/reply/oembed?url=http%3A%2F%2Futtles.com%2Futtles%2F56b760264daebfd94ef293a2&format=xml>
- Supports discovery via `<link>` tags

VeeR VR (<http://veer.tv/>)

- URL scheme: `http://veer.tv/videos/*`
- API endpoint: `https://api.veer.tv/oembed`

- Example: <https://api.veer.tv/oembed?url=http%3A%2F%2Fveer.tv%2Fvideos%2Ffuzzy-beard-360-7514&format=json>
- Example: <https://api.veer.tv/oembed?url=http%3A%2F%2Fveer.tv%2Fvideos%2Ffuzzy-beard-360-7514&format=xml>
- Supports discovery via `<link>` tags
- URL scheme: `http://veervr.tv/videos/*`
- API endpoint: `https://api.veervr.tv/oembed`
- Example: <https://api.veervr.tv/oembed?url=http%3A%2F%2Fveer.tv%2Fvideos%2Ffuzzy-beard-360-7514&format=json>
- Example: <https://api.veervr.tv/oembed?url=http%3A%2F%2Fveer.tv%2Fvideos%2Ffuzzy-beard-360-7514&format=xml>
- Supports discovery via `<link>` tags

Verse (<http://verse.com/>)

- API endpoint: `http://verse.com/services/oembed/`
- Example: <http://verse.com/services/oembed/?url=http%3A%2F%2Fverse.com%2Fembed%2F%23%2Fstories%2F112-connected-to-the-top>
- Example: <http://verse.com/services/oembed/?url=http%3A%2F%2Fverse.com%2Fembed%2F%23%2Fstories%2F112-connected-to-the-top&format=xml>

VEVO (<http://www.vevo.com/>)

- URL scheme: `http://www.vevo.com/*`
- URL scheme: `https://www.vevo.com/*`
- API endpoint: `https://www.vevo.com/oembed`
- Example: <https://www.vevo.com/oembed?url=http%3A%2F%2Fwww.vevo.com%2Fwatch%2Fkaty-perry%2FFirework%2FUSCA31000112>
- Supports discovery via `<link>` tags

VideoJug (<http://www.videojug.com>)

- URL scheme: `http://www.videojug.com/film/*`
- URL scheme: `http://www.videojug.com/interview/*`
- API endpoint: `http://www.videojug.com/oembed.{format}`

- Example:

<http://www.videojug.com/oembed?url=http%3A%2F%2Fwww.videojug.com%2Ffilm%2Fhow-to-tie-a-knot-braid>

Vidlit (<https://vidl.it/>)

- URL scheme: `https://vidl.it/*`
- API endpoint: `https://api.vidl.it/oembed`
- Example: <https://api.vidl.it/oembed?url=https%3A%2F%2Fvidl.it%2FmBPb4A&format=json>
- Example: <https://api.vidl.it/oembed?url=https%3A%2F%2Fvidl.it%2FmBPb4A&format=xml>
- Supports discovery via `<link>` tags

Vidmizer (<https://www.vidmizer.com/>)

- URL scheme: `https://players.vidmizer.com/*`
- API endpoint: `https://app-v2.vidmizer.com/api/oembed`
- Example: <https://app-v2.vidmizer.com/api/oembed?url=https%3A%2F%2Fplayers.vidmizer.com/8582f97e-7c4f-49c7-be85-d61a95f4d8b3>
- Supports discovery via `<link>` tags

Vidyard (<http://www.vidyard.com>)

- URL scheme: `http://embed.vidyard.com/*`
- URL scheme: `http://play.vidyard.com/*`
- URL scheme: `http://share.vidyard.com/*`
- URL scheme: `http://*.hubs.vidyard.com/*`
- API endpoint: `https://api.vidyard.com/dashboard/v1.1/oembed`
- Documentation: https://developer.vidyard.com/apidoc/oembed/show_v1_1.html
- Example: <https://api.vidyard.com/dashboard/v1.1/oembed?url=http://play.vidyard.com/watch/3DiwGFaItrHDA>
- Supports discovery via `<link>` tags

Vimeo (<https://vimeo.com/>)

- URL scheme: `https://vimeo.com/*`
- URL scheme: `https://vimeo.com/album/*/video/*`
- URL scheme: `https://vimeo.com/channels/*/`
- URL scheme: `https://vimeo.com/groups/*/videos/*`
- URL scheme: `https://vimeo.com/ondemand/*/`
- URL scheme: `https://player.vimeo.com/video/*`

- API endpoint: `https://vimeo.com/api/oembed.{format}`
- Documentation: <https://developer.vimeo.com/apis/oembed>
- Example:
<https://vimeo.com/api/oembed.xml?url=http%3A%2F%2Fvimeo.com%2F76979871>
- Example:
<https://vimeo.com/api/oembed.json?url=http%3A%2F%2Fvimeo.com%2F76979871>
- Supports discovery via `<link>` tags

Viziosphere (<http://www.viziosphere.com>)

- URL scheme: `http://viziosphere.com/3dphoto*`
- API endpoint: `http://viziosphere.com/services/oembed/`
- Example:
<http://www.viziosphere.com/services/oembed/?url=http://viziosphere.com/3dphoto?ref=VZP0002>
- Supports discovery via `<link>` tags

Vlipsy (<https://vlipsy.com/>)

- URL scheme: `https://vlipsy.com/*`
- API endpoint: `https://vlipsy.com/oembed`
- Example: <https://vlipsy.com/oembed?url=https%3A%2F%2Fvlipsy.com%2Fvip%2Felf-i-love-you-i1ZZELDO&format=json>
- Example: <https://vlipsy.com/oembed?url=https%3A%2F%2Fvlipsy.com%2Fvip%2Felf-i-love-you-i1ZZELDO&format=xml>
- Supports discovery via `<link>` tags

VLIVE (<https://www.vlive.tv>)

- URL scheme: `https://www.vlive.tv/video/*`
- API endpoint: `https://www.vlive.tv/oembed` (only supports `json`)
- Example:
<https://www.vlive.tv/oembed?url=https%3A%2F%2Fwww.vlive.tv%2Fvideo%2F81492>

Vlurb (<https://www.vlurb.co/>)

- URL scheme: `http://vlurb.co/video/*`
- URL scheme: `https://vlurb.co/video/*`
- API endpoint: `https://vlurb.co/oembed.json`
- Example:
<https://vlurb.co/oembed.json?url=https%3A%2F%2Fvlurb.co%2Fvideo%2Fc0xp>
- Supports discovery via `<link>` tags

VoxSnap (<https://voxsnap.com/>)

- URL scheme: `https://article.voxsnap.com/**`
- API endpoint: `https://data.voxsnap.com/oembed` (only supports `json`)
- Example:
<https://data.voxsnap.com/oembed?url=https%3A%2F%2Farticle.voxsnap.com%2Fnirandfar%2Fthe-psychology-of-a-billion-dollar-enterprise-app>
- Example: <https://article.voxsnap.com/nirandfar/the-psychology-of-a-billion-dollar-enterprise-app>
- Supports discovery via `<link>` tags

wecandeo (<http://www.wecandeo.com/>)

- API endpoint: `http://play.wecandeo.com/oembed`
- Example:
<http://play.wecandeo.com/oembed/?key=BOKNS9AQWrEipL6smD7If4QwjsoQWTPoSuHCLNqtWy0bppPwUpLpL9iio4pqLKNis4ZCy4IG7kZTQ431147TteoAieie>
- Example:
<http://play.wecandeo.com/oembed/?key=BOKNS9AQWrEipL6smD7If4QwjsoQWTPoSuHCLNqtWy0bppPwUpLpL9iio4pqLKNis4ZCy4IG7kZTQ431147TteoAieie&format=xml>
- Supports discovery via `<link>` tags

Wiredrive (<https://www.wiredrive.com/>)

- URL scheme: `https://*.wiredrive.com/*`
- API endpoint: `http://*.wiredrive.com/present-oembed/` (only supports `json`)
- Example: deckers.wiredrive.com/present-oembed?url=deckers.wiredrive.com/363254/851732644105a5a8b3fa14fe164452df
- URL Scheme: `http://*.wiredrive.com/*` (where `wiredrive.com` = Wiredrive customer domain)
- Supports discovery via `<link>` tags

Wistia (<https://wistia.com/>)

- URL scheme: `https://fast.wistia.com/embed/iframe/*`
- URL scheme: `https://fast.wistia.com/embed/playlists/*`
- URL scheme: `https://*.wistia.com/medias/*`
- API endpoint: `https://fast.wistia.com/oembed.{format}`
- Documentation: <https://wistia.com/support/developers/oembed>
- Example:
<https://fast.wistia.com/oembed.xml?url=https%3A%2F%2Fhome.wistia.com%2Fmedias%2>

Fxfepf8u5c4

- Example:

<https://fast.wistia.com/oembed.json?url=https%3A%2F%2Fhome.wistia.com%2Fmedias%2Fxfepf8u5c4>

- Example:

<https://fast.wistia.com/oembed.xml?url=https%3A%2F%2Ffast.wistia.com%2Fembed%2Fiframe%2Fxfepf8u5c4>

- Example:

<https://fast.wistia.com/oembed.json?url=https%3A%2F%2Ffast.wistia.com%2Fembed%2Fiframe%2Fxfepf8u5c4>

- Supports discovery via `<link>` tags

wizer.me (<http://www.wizer.me/>)

- URL scheme: `http://*.wizer.me/learn/*`

- URL scheme: `https://*.wizer.me/learn/*`

- URL scheme: `http://*.wizer.me/preview/*`

- URL scheme: `https://*.wizer.me/preview/*`

- API endpoint: `http://app.wizer.me/api/oembed.{format}`

- Example:

<http://app.wizer.me/api/oembed.json?url=https%3A%2F%2Fapp.wizer.me%2Fpreview%2FK6EKW>

- Example:

<http://app.wizer.me/api/oembed.xml?url=https%3A%2F%2Fapp.wizer.me%2Fpreview%2FK6EKW>

- Supports discovery via `<link>` tags

Wootled (<http://www.wootled.com/>)

- API endpoint: `http://www.wootled.com/oembed`

- Example:

<http://www.wootled.com/oembed?url=http%3A%2F%2Fwww.wootled.com%2Fwg%2F0SbDvPCAzpWEstt>

WordPress.com (<http://wordpress.com/>)

- API endpoint: `http://public-api.wordpress.com/oembed/`

- Documentation: <http://develop.wordpress.com/oembed-provider-api/>

- Example: [http://public-](http://public-api.wordpress.com/oembed/1.0/?format=json&url=http%3A%2F%2Fmatt.wordpress.com)

[api.wordpress.com/oembed/1.0/?format=json&url=http%3A%2F%2Fmatt.wordpress.com](http://public-api.wordpress.com/oembed/1.0/?format=json&url=http%3A%2F%2Fmatt.wordpress.com)

[%2F2011%2F07%2F14%2Fclouds-over-new-york%2F&for=oembed.com](#)

- Supports discovery via `<link>` tags

Yes, I Know IT! (<http://yesik.it>)

- URL scheme: `http://yesik.it/*`
- URL scheme: `http://www.yesik.it/*`
- API endpoint: `http://yesik.it/s/oembed` (only supports `json`)
- Example: <http://yesik.it/s/oembed?url=http%3A%2F%2Fyesik.it%2FEP15>
- Supports discovery via `<link>` tags

YFrog (<http://yfrog.com/>)

- URL scheme: `http://*.yfrog.com/*`
- URL scheme: `http://yfrog.us/*`
- API endpoint: `http://www.yfrog.com/api/oembed` (only supports `json`)
- Documentation: <http://twitter.yfrog.com/page/api#a8>
- Example: <http://www.yfrog.com/api/oembed?url=http%3A%2F%2Fyfrog.com%2Fjukynnj>

YouTube (<https://www.youtube.com/>)

- API endpoint: `https://www.youtube.com/oembed`
- Example:
<https://www.youtube.com/oembed?url=http%3A%2F%2Fwww.youtube.com%2Fwatch%3Fv%3DiwGFaITRHDA>
- Example:
<https://www.youtube.com/oembed?url=http%3A%2F%2Fwww.youtube.com%2Fwatch%3Fv%3DiwGFaITRHDA&format=xml>
- Supports discovery via `<link>` tags

ZnipeTV (<https://www.znipe.tv/>)

- URL scheme: `https://*.znipe.tv/*`
- API endpoint: `https://api.znipe.tv/v3/oembed/`
- Example: <https://api.znipe.tv/v3/oembed?url=https%3A%2F%2Fbeta.znipe.tv%2Fesl-genting-2018%2Fstage%3Fv%3D-L8UwcDwy8BFKXR6lLdj>
- Supports discovery via `<link>` tags

ZProvider (<https://reports.zoho.com/>)

- URL scheme:
`https://reports.zoho.com/ZDBDataSheetView.cc?OBJID=1432535000000003002&STANDALONE=true&INT`

ERVAL=120&DATATYPESYMBOL=false&REMT0OLBAR=false&SEARCHBOX=true&INCLUDETITLE=true&INCLUDEDESC=true&SHOWHIDEOPT=true

- API endpoint: `http://api.provider.com/oembed.json`

- Documentation: <http://dev.provider.com/api/oembed/>

- Example:

<http://api.provider.com/oembed.json?url=https://reports.zoho.com/ZDBDataSheetView.cc?OBJID=1432535000000003002&STANDALONE=true&INTERVAL=120&DATATYPESYMBOL=false&REMT0OLBAR=false&SEARCHBOX=true&INCLUDETITLE=true&INCLUDEDESC=true&SHOWHIDEOPT=true>

- Supports discovery via `<link>` tags

Activities

Learning maps

General description

Learning maps provide a more visually appealing representation of learning paths. The activities in the course are not displayed in a list, but graphically on a background image. The activities of the course are then linked on this background image and released step by step for the students one after the other. The activities themselves are usually “hidden but available” in the course.

A learning map is divided into places and paths. Places are shown as circles and are either invisible, available, or visited. Paths connect two places. A location is linked to an activity in the course. Clicking the place opens the associated activity. When the associated activity has been completed, the place is marked as visited, ie the place changes its fill color. Once a location has been marked as visited, all other locations connected by a path will automatically become available.

© istock.com / vectorplusb
Image created by vectorplusb

notice

All activities to be attended have an activity completion, which the students can simply click on by default. If a certain number of points for tasks or an answered question in the forum counts as an activity completion, then enter this under *Settings - Activity completion* of the respective activity.

Didactic uses


The Learning Map activity provides an easy way to gamify a course. With an attractive background image, which can also be used to connect the learning content in the context of a short story, the motivation of the learners can be increased and the learning progress can be seen at any time.

If you use several locations as the starting point, the students can also use different starting points. For example, as an attractive choice for self-determined learning or as preparation for a role-playing game.

The teacher has the opportunity to offer the learners different ways to a goal and can thus simply offer an internal differentiation. A shorter but more difficult path for more ambitious students and alternatively a slightly longer, smaller-step path that leads to the same goal in the end.

However, the learning map can also be used as an additional visualization of the activities in the course / in the course section and implement individual aspects of the "Checklist" module here. For example, you can choose a bookshelf as the background and link the activities from there.

Screenshot



Learning map in action

Creation of the activity

The learning map activity ultimately represents a kind of table of contents for the linked activities. You should therefore first consider which tasks your learning group should complete and create them accordingly. Only then do you create the learning map.

tips

It is best to use the **one-topic format** as the course format. This course format is very well suited for structuring many activities and, together with the learning map activity, offers graphically convincing navigation.

course formats

The "learning map" activity can also be completed with an activity. To do this, however, it is necessary to set at least one location as a "destination" and to mark the activity completion accordingly. When the learners reach the destination, the activity is considered complete.

Use by learners

On the main course page, learners see the learning map and the places marked as "starting point". By clicking on the location, you will be automatically directed to the stored activity and can edit it. After successful completion, they return to the main course page with the learning map and can go to the next location.

Pupils are happy about the clear graphic navigation and are therefore informed about the current learning status at all times. This generally promotes motivation and enables self-determined learning to be used in an age-appropriate manner even in younger grades.

In the case of alternative learning paths in particular, the graphical representation using the learning map activity increases understanding. The transparent presentation of the possibilities is a

didactically useful supplement for internally differentiated courses.

Screenshot

Image not found or type unknown



mebis evaluation overview

As a teacher, you can easily see the status of the class or individual students via the evaluation overview. You can also give **specific feedback** to the learners there.